

# Texas School Survey of Drug and Alcohol Use: 2014

## HHSC Region 1 and 2 Report Grades 6-12



## Table of Contents

<b>1</b>	<b>General Substance Use Tables</b>	<b>4</b>
	Tobacco . . . . .	5
	Alcohol . . . . .	9
	Drugs . . . . .	18
	Inhalants . . . . .	33
	Miscellaneous . . . . .	38
<b>2</b>	<b>Prevalence Tables</b>	<b>45</b>
	Table B-1: All Students . . . . .	46
	Table B-2: Male Students . . . . .	50
	Table B-3: Female Students . . . . .	54
	Table B-4: White Students . . . . .	58
	Table B-5: African/American Students . . . . .	62
	Table B-6: Mexican/American Students . . . . .	66
	Table B-7: Students Reporting A Grades . . . . .	70
	Table B-8: Students Reporting Grades Lower Than an A . . . . .	74
	Table B-9: Students Living With 2 Parents . . . . .	78
	Table B-10: Students Not Living With 2 Parents . . . . .	82
	Table B-11: Students who would seek help from adults for substance abuse problems . . . . .	86
	Table B-12: Students who would not seek help from adults for substance abuse problems . . . . .	90
<b>3</b>	<b>Margin Tables</b>	<b>94</b>

# 1 General Substance Use Tables

## Tobacco

Table T-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	11.6%	15.6%	28.6%	71.4%
Grade 6	0.5%	0.9%	3.8%	96.2%
Grade 7	4.2%	6.5%	19.7%	80.2%
Grade 8	7.5%	12.8%	26.9%	73.1%
Grade 9	9.9%	16.2%	28.9%	71.0%
Grade 10	20.2%	24.9%	38.4%	61.6%
Grade 11	21.4%	25.0%	39.1%	60.9%
Grade 12	21.5%	27.4%	49.6%	50.5%
Cigarettes?				
All	8.3%	12.2%	25.2%	74.8%
Grade 6	0.4%	0.7%	3.4%	96.6%
Grade 7	3.9%	6.0%	18.4%	81.6%
Grade 8	4.6%	9.2%	22.2%	77.8%
Grade 9	5.8%	9.4%	23.4%	76.5%
Grade 10	13.7%	19.4%	32.6%	67.3%
Grade 11	16.4%	22.2%	36.7%	63.4%
Grade 12	16.2%	22.6%	46.3%	53.8%
Smokeless Tobacco?				
All	6.4%	8.7%	12.5%	87.5%
Grade 6	0.1%	0.3%	0.7%	99.3%
Grade 7	1.0%	1.6%	4.0%	96.0%
Grade 8	3.3%	6.6%	9.8%	90.2%
Grade 9	5.7%	9.9%	12.5%	87.4%
Grade 10	13.8%	16.8%	21.8%	78.2%
Grade 11	10.2%	11.8%	18.3%	81.8%
Grade 12	13.0%	16.7%	24.6%	75.4%

**Table T-2: How often do you normally use tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	78.8%	3.9%	2.3%	2.2%	3.8%	3.0%	6.1%
Grade 6	98.9%	0.0%	0.0%	0.1%	0.3%	0.5%	0.2%
Grade 7	91.5%	0.0%	1.3%	2.0%	0.6%	2.0%	2.7%
Grade 8	81.4%	0.3%	1.3%	1.0%	5.2%	4.3%	6.5%
Grade 9	81.1%	1.2%	1.2%	2.2%	1.6%	2.8%	9.9%
Grade 10	66.7%	5.7%	4.4%	4.0%	5.7%	4.4%	9.1%
Grade 11	66.8%	9.8%	4.4%	2.1%	8.9%	3.3%	4.8%
Grade 12	59.3%	12.7%	4.0%	4.1%	5.3%	3.9%	10.6%

**Table T-3: Average age of first use of tobacco:**

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	10.3	11.1	11.1	12.5	13.5	13.1	14.1

Table T-4: If you wanted some, how difficult would it be to get tobacco?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	25.5%	20.0%	6.5%	9.0%	14.9%	24.2%
Grade 6	53.2%	33.3%	5.9%	2.5%	3.9%	1.3%
Grade 7	38.5%	31.1%	7.3%	9.7%	8.8%	4.5%
Grade 8	21.9%	21.5%	12.8%	13.1%	17.6%	13.1%
Grade 9	18.6%	15.5%	7.3%	13.3%	20.1%	25.2%
Grade 10	16.6%	11.8%	4.5%	8.6%	20.2%	38.4%
Grade 11	12.5%	16.7%	4.5%	8.9%	18.1%	39.3%
Grade 12	11.9%	6.4%	2.4%	6.6%	17.0%	55.6%

Table T-5: About how many of your close friends use tobacco?

	None	A Few	Some	Most	All
All	57.8%	24.1%	11.2%	5.7%	1.3%
Grade 6	92.0%	6.9%	0.5%	0.3%	0.3%
Grade 7	82.5%	12.3%	4.0%	0.9%	0.3%
Grade 8	63.5%	25.3%	9.1%	2.0%	0.0%
Grade 9	50.8%	31.0%	11.0%	4.8%	2.5%
Grade 10	40.6%	28.3%	21.0%	8.9%	1.2%
Grade 11	34.8%	39.6%	13.3%	10.9%	1.4%
Grade 12	31.8%	27.7%	22.3%	14.5%	3.5%

**Table T-6: How do your parents feel about kids your age using tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	70.2%	10.1%	8.2%	1.4%	1.0%	9.1%
Grade 6	83.2%	1.3%	0.6%	0.3%	0.3%	14.3%
Grade 7	79.6%	5.4%	2.5%	0.0%	0.7%	11.8%
Grade 8	72.0%	10.0%	6.9%	0.5%	0.2%	10.4%
Grade 9	72.9%	10.7%	6.9%	1.6%	2.0%	5.9%
Grade 10	63.1%	13.5%	13.9%	1.9%	0.2%	7.3%
Grade 11	61.7%	15.4%	12.5%	3.2%	0.5%	6.8%
Grade 12	56.3%	15.4%	15.4%	2.5%	3.5%	6.8%

**Table T-7: How dangerous do you think it is for kids your age to use tobacco?**

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	58.9%	25.1%	9.2%	2.1%	4.6%
Grade 6	85.5%	8.6%	3.7%	0.1%	2.2%
Grade 7	69.8%	17.3%	6.1%	0.8%	6.0%
Grade 8	58.7%	30.7%	6.0%	1.0%	3.5%
Grade 9	57.4%	30.6%	8.0%	1.3%	2.7%
Grade 10	48.7%	27.8%	13.3%	2.4%	7.8%
Grade 11	42.8%	33.1%	15.0%	4.3%	4.8%
Grade 12	44.7%	29.9%	14.3%	5.5%	5.7%

## Alcohol

Table A-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	21.1%	28.6%	51.3%	48.7%
Grade 6	2.3%	3.2%	18.3%	81.6%
Grade 7	9.9%	14.1%	40.4%	59.6%
Grade 8	17.9%	26.0%	48.2%	51.8%
Grade 9	22.8%	33.3%	55.8%	44.3%
Grade 10	26.9%	38.0%	66.8%	33.2%
Grade 11	37.8%	46.9%	65.8%	34.3%
Grade 12	35.6%	45.3%	71.5%	28.4%
Beer?				
All	15.9%	22.7%	43.2%	56.8%
Grade 6	0.9%	1.5%	14.2%	85.7%
Grade 7	5.4%	8.5%	29.2%	70.8%
Grade 8	14.9%	22.3%	38.8%	61.1%
Grade 9	16.5%	24.7%	48.1%	51.8%
Grade 10	19.6%	29.9%	56.8%	43.2%
Grade 11	28.4%	39.7%	58.0%	42.1%
Grade 12	30.7%	38.4%	64.9%	35.1%
Wine Coolers?				
All	12.3%	17.6%	30.6%	69.4%
Grade 6	1.5%	1.9%	4.5%	95.5%
Grade 7	4.4%	7.2%	16.8%	83.2%
Grade 8	6.6%	10.8%	23.4%	76.7%
Grade 9	14.0%	21.1%	36.1%	63.8%
Grade 10	17.7%	23.8%	43.0%	57.0%
Grade 11	25.2%	34.5%	48.0%	52.0%
Grade 12	20.3%	29.1%	49.6%	50.4%
Wine?				
All	8.1%	13.1%	28.4%	71.5%
Grade 6	0.5%	1.1%	3.8%	96.2%
Grade 7	2.4%	4.6%	18.3%	81.7%
Grade 8	4.0%	8.6%	22.4%	77.6%
Grade 9	9.7%	18.1%	34.8%	65.1%
Grade 10	8.5%	15.7%	36.4%	63.6%
Grade 11	21.1%	27.4%	45.6%	54.3%
Grade 12	13.3%	20.1%	44.9%	55.1%
Liquor?				
All	13.1%	19.1%	34.1%	65.9%
Grade 6	0.7%	0.9%	2.1%	97.9%
Grade 7	4.4%	6.9%	16.3%	83.7%
Grade 8	5.3%	10.8%	23.6%	76.4%
Grade 9	18.0%	23.3%	43.5%	56.5%
Grade 10	17.7%	26.3%	50.8%	49.2%
Grade 11	24.5%	36.4%	53.9%	46.2%
Grade 12	25.4%	35.6%	57.7%	42.3%

**Table A-2: How often do you normally use alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	58.2%	0.5%	2.7%	7.3%	11.9%	9.7%	9.8%
Grade 6	91.6%	0.0%	0.1%	0.2%	1.1%	3.0%	4.0%
Grade 7	76.5%	0.0%	1.6%	2.6%	5.2%	4.6%	9.4%
Grade 8	62.5%	0.0%	2.2%	3.1%	9.3%	11.2%	11.7%
Grade 9	53.8%	0.2%	2.4%	8.8%	13.1%	15.2%	6.5%
Grade 10	38.3%	0.8%	3.5%	9.2%	19.0%	12.4%	16.9%
Grade 11	43.5%	0.7%	6.0%	12.0%	17.0%	8.5%	12.3%
Grade 12	33.3%	2.1%	3.5%	17.7%	21.2%	13.5%	8.7%

**Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?**

		Never drink this beverage	Ever Used	5 or More	1 to 4	Less than 1
Beer	All	57.3%	42.7%	14.0%	17.9%	10.8%
	Grade 6	86.7%	13.3%	0.8%	6.5%	6.0%
	Grade 7	71.9%	28.1%	4.5%	12.5%	11.1%
	Grade 8	60.0%	40.2%	9.7%	16.0%	14.5%
	Grade 9	53.7%	46.3%	12.5%	24.1%	9.7%
	Grade 10	42.5%	57.5%	16.4%	25.6%	15.5%
	Grade 11	46.2%	53.8%	26.8%	20.5%	6.5%
	Grade 12	33.2%	66.9%	32.2%	22.1%	12.6%
Wine Coolers	All	68.7%	31.3%	8.3%	16.8%	6.2%
	Grade 6	96.5%	3.5%	0.2%	1.9%	1.4%
	Grade 7	82.1%	17.9%	3.8%	9.5%	4.6%
	Grade 8	68.6%	31.5%	3.7%	19.3%	8.5%
	Grade 9	63.6%	36.5%	11.4%	20.8%	4.3%
	Grade 10	60.3%	39.6%	8.9%	21.9%	8.8%
	Grade 11	54.6%	45.3%	17.3%	20.8%	7.2%
	Grade 12	48.6%	51.4%	15.4%	26.2%	9.8%
Wine	All	71.2%	28.9%	3.5%	14.4%	11.0%
	Grade 6	95.7%	4.3%	0.2%	2.6%	1.5%
	Grade 7	81.1%	18.9%	2.8%	5.4%	10.7%
	Grade 8	69.2%	30.9%	3.1%	13.1%	14.7%
	Grade 9	63.5%	36.5%	4.5%	19.5%	12.5%
	Grade 10	67.5%	32.5%	3.4%	19.2%	9.9%
	Grade 11	60.4%	39.6%	4.5%	22.1%	13.0%
	Grade 12	57.3%	42.8%	6.3%	21.2%	15.3%
Liquor	All	65.3%	34.7%	10.0%	16.3%	8.4%
	Grade 6	97.7%	2.3%	0.2%	1.0%	1.1%
	Grade 7	84.1%	15.9%	3.1%	7.4%	5.4%
	Grade 8	73.0%	26.9%	7.1%	9.8%	10.0%
	Grade 9	59.1%	40.8%	11.2%	17.5%	12.1%
	Grade 10	47.9%	51.9%	16.6%	20.1%	15.2%
	Grade 11	46.4%	53.6%	15.5%	28.6%	9.5%
	Grade 12	41.7%	58.2%	18.5%	33.7%	6.0%

**Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?**

	Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol						
All	82.5%	6.6%	3.5%	3.8%	1.9%	1.8%
Grade 6	98.6%	0.8%	0.2%	0.1%	0.0%	0.2%
Grade 7	92.1%	3.6%	1.5%	0.9%	0.6%	1.3%
Grade 8	86.5%	5.6%	2.2%	4.5%	0.6%	0.6%
Grade 9	79.5%	10.6%	2.4%	4.5%	2.0%	0.9%
Grade 10	75.8%	8.7%	4.5%	6.8%	1.6%	2.7%
Grade 11	73.3%	7.1%	6.6%	4.5%	5.4%	3.0%
Grade 12	67.0%	10.6%	8.5%	6.1%	3.6%	4.2%

**Table A-5: Average age of first use of alcohol:**

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	9.1	10.9	11.3	12.1	13.5	14.0	14.5

**Table A-6: If you wanted some, how difficult would it be to get alcohol?**

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	22.0%	15.9%	6.0%	9.8%	19.9%	26.4%
Grade 6	51.7%	30.8%	5.1%	2.6%	5.8%	4.1%
Grade 7	31.7%	22.5%	9.2%	9.8%	14.8%	12.0%
Grade 8	18.3%	18.0%	10.0%	11.1%	22.9%	19.7%
Grade 9	15.1%	11.6%	6.5%	9.8%	19.7%	37.4%
Grade 10	14.9%	5.4%	2.9%	12.9%	24.2%	39.8%
Grade 11	7.6%	15.3%	4.1%	11.6%	26.0%	35.4%
Grade 12	10.0%	5.0%	3.3%	11.8%	28.5%	41.4%

**Table A-7: Since school began in the fall, on how many days (if any) have you attended class while drunk on alcohol?**

	None	1 to 3 days	4 to 9 days	10+ days
Class Days Drunk On Alcohol Since Sept				
All	93.8%	4.2%	1.3%	0.8%
Grade 6	99.6%	0.4%	0.0%	0.0%
Grade 7	95.6%	3.6%	0.4%	0.4%
Grade 8	93.9%	3.3%	0.3%	2.5%
Grade 9	93.6%	5.6%	0.4%	0.3%
Grade 10	93.5%	3.9%	1.9%	0.7%
Grade 11	92.1%	4.3%	3.1%	0.5%
Grade 12	87.7%	8.1%	3.2%	1.0%

**Table A-8: School year use of alcohol by absences and conduct problems:**

Average days absent due to illness or other reasons	
Alcohol Users	4.9
Alcohol Non-Users	3.5
Average days conduct problems reported	
Alcohol Users	2.6
Alcohol Non-Users	0.7

**Table A-9: During the past twelve months, how many times (if any) have you ...**

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Had A Good Bit To Drink?				
All	90.5%	7.8%	0.8%	0.9%
Grade 9	95.2%	4.4%	0.3%	0.1%
Grade 10	91.4%	7.0%	0.5%	1.1%
Grade 11	86.5%	11.8%	1.1%	0.6%
Grade 12	88.0%	8.3%	1.5%	2.3%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drinking?				
All	93.7%	5.4%	0.7%	0.2%
Grade 6	99.4%	0.5%	0.0%	0.1%
Grade 7	94.9%	4.9%	0.0%	0.1%
Grade 8	95.6%	3.9%	0.2%	0.2%
Grade 9	92.2%	4.5%	3.3%	0.0%
Grade 10	91.6%	8.0%	0.3%	0.1%
Grade 11	90.2%	9.5%	0.2%	0.1%
Grade 12	91.9%	7.2%	0.5%	0.5%
Been Criticized By Someone You Were Dating Because Of Drinking?				
All	94.4%	4.8%	0.4%	0.4%
Grade 6	99.9%	0.0%	0.1%	0.0%
Grade 7	98.1%	1.3%	0.4%	0.1%
Grade 8	95.2%	4.3%	0.3%	0.2%
Grade 9	96.2%	3.6%	0.1%	0.1%
Grade 10	92.9%	5.8%	0.7%	0.6%
Grade 11	87.0%	12.3%	0.4%	0.3%
Grade 12	90.9%	7.2%	0.5%	1.4%

**Table A-10: About how many of your close friends use alcohol?**

	None	A Few	Some	Most	All
All	43.2%	23.3%	15.9%	14.2%	3.4%
Grade 6	85.4%	10.3%	3.9%	0.2%	0.2%
Grade 7	66.0%	21.3%	9.2%	3.1%	0.4%
Grade 8	48.9%	26.1%	19.2%	5.0%	0.7%
Grade 9	32.6%	27.2%	18.3%	17.5%	4.3%
Grade 10	21.5%	32.2%	24.6%	18.5%	3.2%
Grade 11	17.6%	28.5%	14.9%	32.9%	6.1%
Grade 12	21.7%	17.9%	23.5%	26.7%	10.2%

**Table A-11: Thinking of parties you attended this school year, how often was alcohol used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	45.5%	7.2%	4.3%	8.5%	13.1%	2.0%	19.3%
Grade 6	78.3%	2.9%	0.9%	1.1%	0.0%	0.7%	16.1%
Grade 7	63.0%	5.6%	3.6%	4.0%	1.5%	2.9%	19.4%
Grade 8	50.3%	11.8%	6.6%	8.3%	4.1%	0.7%	18.2%
Grade 9	38.9%	7.9%	3.3%	13.8%	16.1%	1.2%	18.9%
Grade 10	29.4%	7.5%	5.4%	13.3%	18.9%	0.8%	24.7%
Grade 11	32.0%	6.7%	5.4%	8.3%	25.1%	5.8%	16.7%
Grade 12	23.6%	8.0%	4.6%	11.1%	29.6%	1.7%	21.4%

Table A-12: How often, if ever, do you get alcohol beverages from ...?

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?	All	52.8%	25.5%	15.8%	4.3%	1.6%
	Grade 6	64.8%	28.6%	6.0%	0.4%	0.2%
	Grade 7	63.5%	25.3%	7.9%	2.9%	0.4%
	Grade 8	55.2%	23.1%	17.3%	2.7%	1.7%
	Grade 9	49.9%	20.1%	21.1%	7.9%	1.1%
	Grade 10	44.9%	29.1%	19.4%	3.9%	2.7%
	Grade 11	47.2%	25.6%	19.6%	3.8%	3.8%
	Grade 12	40.1%	27.7%	21.1%	9.3%	1.8%
Friends?	All	49.1%	19.1%	16.2%	11.8%	3.9%
	Grade 6	67.6%	29.3%	1.5%	1.3%	0.2%
	Grade 7	60.7%	23.8%	7.9%	6.2%	1.4%
	Grade 8	55.4%	17.6%	17.4%	7.4%	2.1%
	Grade 9	49.6%	16.1%	19.2%	12.4%	2.7%
	Grade 10	35.2%	16.5%	25.2%	15.5%	7.7%
	Grade 11	38.2%	10.0%	23.5%	21.6%	6.6%
	Grade 12	30.4%	18.5%	21.6%	21.7%	7.7%
Store?	All	53.5%	38.1%	4.4%	2.7%	1.4%
	Grade 6	67.6%	31.5%	0.0%	0.8%	0.0%
	Grade 7	66.3%	30.8%	1.4%	1.2%	0.2%
	Grade 8	58.7%	37.7%	2.8%	0.6%	0.3%
	Grade 9	52.6%	42.6%	3.1%	1.1%	0.5%
	Grade 10	44.3%	43.4%	6.4%	4.5%	1.3%
	Grade 11	43.4%	36.5%	11.1%	5.7%	3.2%
	Grade 12	35.8%	45.7%	7.6%	6.1%	4.8%
Parties?	All	49.3%	19.8%	10.1%	9.4%	11.4%
	Grade 6	68.1%	29.9%	1.3%	0.6%	0.1%
	Grade 7	62.4%	23.3%	5.7%	5.8%	2.8%
	Grade 8	56.2%	19.8%	10.7%	9.5%	3.8%
	Grade 9	48.2%	13.2%	13.6%	9.7%	15.2%
	Grade 10	36.1%	17.9%	13.0%	15.1%	17.9%
	Grade 11	36.9%	15.4%	13.9%	15.3%	18.5%
	Grade 12	31.2%	18.0%	13.7%	11.7%	25.4%
Other Source?	All	52.2%	25.1%	11.8%	6.2%	4.6%
	Grade 6	66.5%	29.5%	3.3%	0.4%	0.3%
	Grade 7	64.3%	22.3%	6.2%	5.7%	1.5%
	Grade 8	59.6%	21.3%	10.2%	5.1%	3.8%
	Grade 9	51.7%	23.5%	12.0%	7.3%	5.4%
	Grade 10	40.7%	27.5%	16.2%	10.2%	5.4%
	Grade 11	40.5%	23.8%	19.8%	7.5%	8.4%
	Grade 12	36.2%	29.0%	17.8%	8.1%	8.9%

**Table A-13: How do your parents feel about kids your age drinking alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	62.4%	12.6%	11.0%	4.5%	0.9%	8.6%
Grade 6	76.9%	4.2%	1.7%	0.4%	0.3%	16.6%
Grade 7	73.5%	8.4%	3.7%	1.9%	0.8%	11.7%
Grade 8	62.3%	16.7%	10.7%	1.0%	0.2%	9.2%
Grade 9	57.8%	13.0%	14.3%	8.4%	2.0%	4.5%
Grade 10	59.3%	15.0%	14.7%	4.5%	1.3%	5.1%
Grade 11	57.8%	12.5%	14.0%	6.9%	0.9%	7.8%
Grade 12	47.4%	18.9%	19.0%	8.6%	0.5%	5.6%

**Table A-14: How dangerous do you think it is for kids your age to use alcohol?**

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	56.1%	26.2%	11.2%	2.3%	4.3%
Grade 6	77.7%	16.7%	4.4%	0.2%	1.0%
Grade 7	61.4%	21.1%	11.4%	1.1%	5.0%
Grade 8	56.2%	25.5%	10.8%	1.8%	5.7%
Grade 9	54.3%	26.6%	14.3%	2.9%	2.0%
Grade 10	47.4%	34.1%	9.9%	1.9%	6.8%
Grade 11	45.7%	29.1%	14.2%	4.9%	6.1%
Grade 12	46.8%	32.3%	13.6%	3.6%	3.8%

## Drugs

Table D-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Marijuana?				
All	7.9%	11.5%	21.5%	78.5%
Grade 6	0.3%	0.5%	1.6%	98.5%
Grade 7	4.0%	5.5%	10.5%	89.6%
Grade 8	6.3%	9.5%	15.1%	84.8%
Grade 9	5.5%	10.5%	19.0%	81.1%
Grade 10	12.6%	17.3%	30.6%	69.3%
Grade 11	14.3%	19.1%	38.8%	61.2%
Grade 12	14.7%	21.1%	41.0%	58.9%
Cocaine?				
All	0.5%	0.7%	1.8%	98.2%
Grade 6	0.0%	0.0%	0.4%	99.6%
Grade 7	0.5%	0.6%	1.0%	99.0%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.4%	0.6%	1.3%	98.7%
Grade 10	0.3%	0.7%	2.8%	97.2%
Grade 11	1.4%	1.7%	2.6%	97.3%
Grade 12	1.1%	1.6%	4.4%	95.6%
Crack?				
All	0.0%	0.1%	0.2%	99.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.6%	0.7%	99.3%
Grade 9	0.0%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.1%	0.2%	99.8%
Hallucinogens?				
All	0.3%	0.6%	1.3%	98.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.3%	0.5%	1.0%	99.1%
Grade 9	0.1%	0.4%	1.0%	99.0%
Grade 10	0.4%	1.0%	1.7%	98.4%
Grade 11	0.9%	1.5%	2.3%	97.7%
Grade 12	0.3%	1.1%	3.4%	96.6%
Rohypnol?				
All	0.3%	0.4%	0.6%	99.4%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	0.1%	0.2%	0.5%	99.4%
Grade 8	0.4%	0.6%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.1%	0.2%	0.6%	99.4%
Grade 11	0.3%	0.3%	0.8%	99.3%
Grade 12	1.1%	1.1%	1.2%	98.9%

**Table D-1: How recently, if ever, have you used ...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Steroids?				
All	0.3%	0.5%	1.2%	98.9%
Grade 6	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	1.0%	1.3%	98.7%
Grade 8	0.2%	0.2%	0.5%	99.4%
Grade 9	0.1%	0.1%	1.4%	98.6%
Grade 10	1.0%	1.1%	1.4%	98.6%
Grade 11	0.3%	0.4%	2.6%	97.4%
Grade 12	0.0%	0.0%	0.3%	99.7%
Ecstasy?				
All	0.4%	0.5%	1.1%	98.9%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.8%	99.3%
Grade 8	0.6%	0.7%	0.9%	99.1%
Grade 9	0.5%	0.5%	1.1%	98.9%
Grade 10	0.4%	0.7%	1.7%	98.3%
Grade 11	0.7%	1.0%	2.3%	97.6%
Grade 12	0.4%	0.6%	1.0%	99.0%
Heroin?				
All	0.1%	0.1%	0.3%	99.7%
Grade 6	0.1%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	0.2%	99.9%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	1.3%	98.7%
Methamphetamine?				
All	0.4%	0.5%	0.6%	99.4%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.3%	0.3%	0.5%	99.6%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.3%	0.5%	99.5%
Grade 11	1.7%	1.7%	1.8%	98.2%
Grade 12	0.3%	0.3%	0.6%	99.4%
Synthetic Marijuana?				
All	1.5%	2.6%	7.3%	92.7%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	1.5%	2.1%	4.3%	95.7%
Grade 8	2.2%	4.1%	6.0%	94.0%
Grade 9	0.8%	1.2%	5.6%	94.4%
Grade 10	2.1%	4.3%	11.9%	88.1%
Grade 11	1.1%	2.2%	12.2%	87.8%
Grade 12	3.0%	4.6%	13.2%	86.8%

Table D-2: How often do you normally use ...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	81.1%	1.7%	2.4%	2.6%	3.6%	3.5%	5.1%
	Grade 6	98.4%	0.1%	0.1%	0.2%	0.1%	0.4%	0.6%
	Grade 7	90.5%	1.0%	1.4%	1.5%	1.7%	1.0%	2.8%
	Grade 8	86.4%	0.9%	2.0%	3.3%	2.3%	1.5%	3.7%
	Grade 9	84.5%	1.0%	2.3%	2.2%	2.9%	2.6%	4.5%
	Grade 10	72.9%	1.4%	2.6%	1.5%	5.8%	7.6%	8.1%
	Grade 11	67.6%	4.2%	4.0%	3.5%	6.0%	5.8%	8.8%
	Grade 12	61.2%	3.6%	5.4%	7.0%	7.3%	7.0%	8.4%
Cocaine?								
	All	98.9%	0.1%	0.1%	0.1%	0.1%	0.3%	0.5%
	Grade 6	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 9	99.0%	0.0%	0.2%	0.1%	0.1%	0.3%	0.3%
	Grade 10	98.5%	0.0%	0.0%	0.1%	0.1%	0.6%	0.7%
	Grade 11	98.1%	0.4%	0.0%	0.2%	0.4%	0.4%	0.4%
	Grade 12	96.3%	0.1%	0.2%	0.4%	0.2%	0.2%	2.5%
Crack?								
	All	99.8%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%
	Grade 6	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.5%	0.0%	0.4%	0.0%	0.0%	0.1%	0.1%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 11	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 12	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
Steroids?								
	All	99.7%	0.1%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 6	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.0%	0.7%	0.0%	0.2%	0.0%	0.0%	0.1%
	Grade 8	99.7%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.6%	0.0%	0.1%	0.0%	0.1%	0.1%	0.1%
	Grade 11	99.8%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 12	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%

**Table D-2: How often do you normally use ...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Ecstasy?								
	All	99.4%	0.0%	0.0%	0.0%	0.3%	0.1%	0.2%
	Grade 6	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	98.1%	0.0%	0.1%	0.0%	1.3%	0.1%	0.4%
	Grade 9	99.6%	0.0%	0.0%	0.0%	0.1%	0.2%	0.1%
	Grade 10	99.7%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 11	98.8%	0.0%	0.0%	0.0%	0.2%	0.2%	0.7%
	Grade 12	99.2%	0.1%	0.0%	0.0%	0.0%	0.3%	0.3%
Heroin?								
	All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 6	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.6%	0.0%	0.0%	0.1%	0.2%	0.1%	0.1%
	Grade 6	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.6%	0.0%	0.0%	0.1%	0.0%	0.1%	0.2%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 9	99.7%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%
	Grade 10	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%
	Grade 11	98.3%	0.0%	0.1%	0.0%	1.6%	0.0%	0.0%
	Grade 12	99.5%	0.0%	0.0%	0.3%	0.0%	0.1%	0.1%
Synthetic Marijuana?								
	All	93.8%	0.3%	0.5%	0.2%	1.1%	1.1%	3.0%
	Grade 6	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	95.9%	0.4%	0.5%	0.4%	0.7%	0.5%	1.8%
	Grade 8	94.9%	0.3%	0.1%	0.4%	1.4%	2.0%	0.8%
	Grade 9	95.0%	0.1%	0.2%	0.3%	0.4%	1.1%	3.0%
	Grade 10	90.1%	0.2%	0.2%	0.2%	3.4%	2.8%	3.0%
	Grade 11	91.2%	0.0%	0.1%	0.1%	2.0%	1.2%	5.4%
	Grade 12	88.2%	1.1%	2.4%	0.1%	0.0%	0.6%	7.7%

**Table D-3: Average age of first use of:**

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	10.8	11.7	11.9	13.3	13.7	14.5	14.9
Cocaine	*	12.4	12.5	13.7	14.0	15.4	16.1
Crack	*	14.0	12.6	10.8	15.0	15.3	16.0
Steroids	8.0	9.4	10.9	9.5	12.7	12.8	15.1
Ecstasy	*	10.3	11.2	12.7	13.9	15.0	14.8
Heroin	9.0	13.0	12.0	10.0	14.4	15.0	16.0
Methamphetamine	*	9.8	9.0	10.5	14.8	16.8	15.8
Synthetic Marijuana	11.0	12.2	12.9	13.2	14.0	14.9	15.6

**Table D-4: Age of first use of marijuana by family situation**

	Never	8 or younger	9	10 to 11	12 to 13	14 to 15	16 to 17	Over 17	
<b>Two Parent Family</b>									
All	84.5%	0.3%	0.2%	1.0%	3.4%	6.8%	3.6%	0.3%	
Grade 6	98.8%	0.0%	0.2%	0.8%	0.2%	0.0%	0.0%	0.0%	
Grade 7	92.4%	0.3%	0.0%	1.7%	5.7%	0.0%	0.0%	0.0%	
Grade 8	93.4%	0.5%	0.4%	1.5%	2.7%	1.4%	0.0%	0.0%	
Grade 9	83.2%	0.4%	0.3%	0.1%	5.4%	10.6%	0.0%	0.0%	
Grade 10	73.7%	0.0%	0.4%	0.8%	6.2%	14.3%	4.5%	0.0%	
Grade 11	74.3%	0.8%	0.2%	0.4%	1.9%	12.1%	10.2%	0.1%	
Grade 12	71.8%	0.1%	0.0%	2.4%	1.7%	9.5%	12.2%	2.4%	
<b>Other Family Situation</b>									
All	72.7%	0.7%	0.5%	4.0%	7.1%	9.4%	5.4%	0.3%	
Grade 6	97.4%	0.5%	0.0%	0.8%	1.2%	0.0%	0.0%	0.0%	
Grade 7	89.1%	0.0%	0.0%	5.6%	4.2%	1.1%	0.0%	0.0%	
Grade 8	80.7%	0.4%	2.0%	6.0%	7.6%	3.3%	0.0%	0.0%	
Grade 9	76.9%	0.7%	0.6%	2.8%	8.0%	10.8%	0.3%	0.0%	
Grade 10	66.7%	0.2%	0.0%	6.2%	8.4%	16.2%	2.3%	0.0%	
Grade 11	46.0%	0.4%	0.0%	1.7%	14.2%	23.4%	14.3%	0.0%	
Grade 12	42.5%	2.9%	0.4%	3.5%	6.9%	16.0%	25.5%	2.2%	

Table D-5: If you wanted some, how difficult would it be to get ...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana	All	29.1%	24.6%	7.5%	9.1%	11.9%	17.8%
	Grade 6	58.8%	32.5%	4.3%	0.8%	1.5%	2.2%
	Grade 7	47.1%	27.9%	8.5%	6.8%	4.4%	5.3%
	Grade 8	21.6%	34.5%	11.4%	11.3%	8.7%	12.6%
	Grade 9	22.1%	23.3%	7.1%	11.0%	14.3%	22.3%
	Grade 10	19.0%	16.7%	7.1%	14.7%	16.7%	25.8%
	Grade 11	13.7%	21.0%	4.8%	12.0%	20.5%	28.0%
	Grade 12	14.5%	13.6%	9.1%	8.5%	20.4%	33.9%
Cocaine	All	37.4%	33.4%	12.4%	7.8%	4.1%	5.0%
	Grade 6	59.3%	35.4%	2.3%	0.5%	1.2%	1.3%
	Grade 7	51.5%	33.0%	10.3%	3.3%	1.1%	0.9%
	Grade 8	29.3%	46.0%	15.7%	4.7%	1.7%	2.6%
	Grade 9	29.1%	29.3%	18.8%	10.1%	4.5%	8.2%
	Grade 10	32.3%	29.2%	15.6%	11.8%	6.1%	5.0%
	Grade 11	27.7%	34.6%	10.2%	10.3%	6.5%	10.7%
	Grade 12	28.1%	25.2%	14.2%	15.7%	9.4%	7.5%
Crack	All	38.3%	34.0%	12.8%	7.0%	4.2%	3.7%
	Grade 6	59.4%	35.2%	2.2%	0.7%	1.2%	1.3%
	Grade 7	51.5%	33.4%	9.7%	3.3%	1.3%	0.8%
	Grade 8	30.9%	46.2%	14.7%	4.8%	2.2%	1.3%
	Grade 9	28.3%	31.3%	21.9%	7.5%	3.8%	7.1%
	Grade 10	35.1%	29.1%	15.2%	10.2%	6.6%	3.8%
	Grade 11	29.5%	35.5%	11.1%	8.9%	6.4%	8.7%
	Grade 12	29.8%	26.1%	15.3%	15.7%	8.9%	4.1%
Steroids	All	40.0%	32.8%	11.6%	7.0%	4.6%	3.9%
	Grade 6	63.5%	29.2%	2.9%	1.1%	1.9%	1.4%
	Grade 7	50.7%	36.2%	6.6%	2.2%	3.1%	1.1%
	Grade 8	35.6%	43.0%	10.6%	6.1%	2.7%	2.1%
	Grade 9	28.8%	31.1%	16.1%	9.8%	6.9%	7.4%
	Grade 10	34.4%	27.0%	17.7%	11.9%	5.1%	3.9%
	Grade 11	30.4%	36.7%	9.0%	10.4%	6.2%	7.4%
	Grade 12	33.0%	26.0%	20.2%	9.0%	7.4%	4.4%

**Table D-5: If you wanted some, how difficult would it be to get ...**  
**(Continued)**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Ecstasy?	All	48.0%	28.5%	11.1%	5.6%	3.5%	3.5%
	Grade 6	71.9%	23.5%	1.7%	0.5%	1.3%	1.1%
	Grade 7	64.0%	25.6%	6.2%	1.8%	1.1%	1.3%
	Grade 8	45.4%	36.8%	10.8%	3.5%	2.0%	1.4%
	Grade 9	38.4%	28.4%	15.6%	6.5%	3.9%	7.2%
	Grade 10	40.4%	28.6%	15.9%	7.1%	4.6%	3.5%
	Grade 11	35.6%	30.5%	12.0%	9.9%	6.2%	5.7%
	Grade 12	35.0%	25.9%	16.8%	11.7%	6.1%	4.4%
Heroin?	All	44.5%	34.1%	10.9%	5.0%	2.6%	2.9%
	Grade 6	67.5%	26.1%	2.1%	1.7%	1.3%	1.2%
	Grade 7	59.6%	31.0%	5.8%	2.0%	0.8%	0.8%
	Grade 8	39.2%	44.1%	9.8%	4.7%	1.4%	0.9%
	Grade 9	34.4%	36.3%	14.2%	5.6%	3.1%	6.4%
	Grade 10	37.3%	33.8%	16.9%	5.8%	3.9%	2.2%
	Grade 11	33.8%	36.6%	10.5%	9.4%	3.6%	6.1%
	Grade 12	35.7%	31.3%	18.7%	6.8%	4.8%	2.7%
Methamphetamine?	All	45.9%	32.4%	9.6%	5.6%	3.2%	3.4%
	Grade 6	66.6%	28.2%	2.3%	0.1%	1.5%	1.2%
	Grade 7	60.9%	27.0%	8.0%	2.0%	1.4%	0.7%
	Grade 8	42.5%	41.4%	9.2%	4.0%	1.4%	1.5%
	Grade 9	38.2%	34.6%	9.3%	6.7%	3.9%	7.3%
	Grade 10	40.2%	31.7%	13.7%	6.7%	4.7%	3.0%
	Grade 11	34.0%	34.1%	9.5%	9.9%	5.5%	7.1%
	Grade 12	33.6%	29.8%	16.7%	11.6%	4.9%	3.4%
Synthetic Marijuana?	All	42.2%	26.2%	8.5%	6.5%	6.4%	10.1%
	Grade 6	67.8%	27.6%	2.0%	0.0%	1.3%	1.2%
	Grade 7	59.6%	24.4%	7.0%	3.5%	2.6%	2.8%
	Grade 8	41.6%	31.7%	11.9%	4.9%	3.6%	6.3%
	Grade 9	32.8%	26.3%	10.4%	6.0%	8.8%	15.7%
	Grade 10	32.3%	21.3%	7.2%	13.2%	11.3%	14.7%
	Grade 11	26.1%	29.5%	9.0%	10.8%	9.5%	15.0%
	Grade 12	29.0%	22.3%	12.6%	9.1%	9.3%	17.7%

**Table D-6: Since school began in the fall, on how many days (if any) have you ...**

	None	1-3 Days	4-9 Days	10+ Days
<b>Attended Class While High From Marijuana Use?</b>				
All	93.1%	4.2%	1.2%	1.6%
Grade 6	99.2%	0.7%	0.0%	0.1%
Grade 7	96.5%	2.4%	0.4%	0.7%
Grade 8	95.4%	3.3%	0.4%	1.0%
Grade 9	92.8%	5.1%	0.7%	1.4%
Grade 10	89.9%	5.9%	1.7%	2.5%
Grade 11	88.5%	5.8%	3.5%	2.3%
Grade 12	88.2%	6.5%	1.8%	3.4%
<b>Attended Class While High From Use Of Some Other Drug?</b>				
All	97.2%	1.7%	0.2%	0.8%
Grade 6	99.7%	0.1%	0.0%	0.1%
Grade 7	97.2%	1.5%	0.2%	1.2%
Grade 8	98.1%	1.1%	0.1%	0.6%
Grade 9	97.9%	1.5%	0.3%	0.3%
Grade 10	98.0%	1.4%	0.2%	0.4%
Grade 11	94.1%	4.8%	0.5%	0.5%
Grade 12	95.5%	1.2%	0.4%	2.9%

**Table D-7: School year use of marijuana by absences and conduct problems:**

Average days absent due to illness or other reasons	
Marijuana Users	5.3
Marijuana Non-Users	3.7
Average days conduct problems reported	
Marijuana Users	3.4
Marijuana Non-Users	1.0

Table D-8: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Felt High From Drugs?				
All	93.0%	4.7%	0.9%	1.4%
Grade 9	97.8%	1.6%	0.2%	0.4%
Grade 10	93.3%	4.5%	1.5%	0.7%
Grade 11	90.8%	6.4%	1.3%	1.6%
Grade 12	89.2%	6.9%	0.5%	3.4%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drug Use?				
All	96.3%	3.3%	0.2%	0.1%
Grade 6	100.0%	0.0%	0.0%	0.0%
Grade 7	96.7%	3.1%	0.3%	0.0%
Grade 8	97.7%	2.2%	0.0%	0.2%
Grade 9	93.5%	5.8%	0.4%	0.2%
Grade 10	94.2%	5.4%	0.3%	0.1%
Grade 11	96.2%	3.2%	0.5%	0.1%
Grade 12	96.2%	3.3%	0.3%	0.2%
Been Criticized By Someone You Were Dating Because Of Drug Use?				
All	95.6%	3.7%	0.3%	0.4%
Grade 6	99.6%	0.4%	0.0%	0.0%
Grade 7	97.9%	1.7%	0.3%	0.1%
Grade 8	97.2%	2.3%	0.3%	0.2%
Grade 9	93.1%	6.4%	0.2%	0.3%
Grade 10	94.7%	4.9%	0.1%	0.4%
Grade 11	94.2%	5.1%	0.4%	0.3%
Grade 12	92.5%	5.3%	0.7%	1.5%

**Table D-9: About how many of your close friends use marijuana?**

	None	A Few	Some	Most	All
All	60.3%	18.3%	11.4%	6.9%	3.1%
Grade 6	96.1%	2.4%	1.0%	0.2%	0.3%
Grade 7	74.8%	15.0%	7.2%	1.9%	1.1%
Grade 8	63.3%	17.6%	10.5%	7.0%	1.5%
Grade 9	54.7%	23.5%	11.1%	7.2%	3.6%
Grade 10	46.8%	24.8%	15.5%	8.8%	4.1%
Grade 11	38.7%	22.6%	17.7%	13.7%	7.3%
Grade 12	40.8%	24.2%	18.9%	11.6%	4.5%

**Table D-10: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	56.7%	7.0%	5.1%	4.2%	4.9%	2.6%	19.5%
Grade 6	81.4%	0.8%	0.9%	0.0%	0.3%	0.5%	16.0%
Grade 7	69.1%	3.5%	2.5%	1.4%	1.7%	2.2%	19.6%
Grade 8	64.2%	7.5%	3.9%	3.4%	2.9%	1.2%	16.9%
Grade 9	56.9%	7.2%	5.4%	4.0%	3.8%	1.1%	21.6%
Grade 10	43.6%	9.7%	5.7%	8.0%	6.2%	2.0%	24.9%
Grade 11	43.0%	9.7%	6.5%	4.8%	11.5%	7.9%	16.5%
Grade 12	35.4%	11.6%	11.4%	8.6%	8.5%	3.6%	20.8%

**Table D-11: How do your parents feel about kids your age using marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	77.9%	5.3%	5.3%	1.9%	1.5%	8.0%
Grade 6	81.2%	0.6%	0.8%	0.0%	0.5%	16.9%
Grade 7	82.1%	3.2%	1.3%	0.6%	1.0%	11.8%
Grade 8	78.7%	5.2%	7.8%	0.8%	0.3%	7.2%
Grade 9	78.2%	9.1%	4.6%	1.4%	2.3%	4.4%
Grade 10	80.0%	3.8%	6.3%	3.1%	0.7%	6.0%
Grade 11	73.8%	7.4%	7.3%	4.1%	1.4%	6.0%
Grade 12	70.2%	7.7%	9.8%	3.9%	4.5%	3.9%

Table D-12: How dangerous do you think it is for kids your age to use ...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Marijuana?	All	65.4%	10.6%	8.0%	10.5%	5.6%
	Grade 6	87.7%	2.4%	1.2%	0.5%	8.2%
	Grade 7	72.9%	8.0%	4.4%	5.8%	8.9%
	Grade 8	71.6%	11.0%	6.1%	8.2%	3.1%
	Grade 9	67.7%	13.1%	8.5%	9.0%	1.7%
	Grade 10	55.1%	13.8%	12.2%	12.1%	6.8%
	Grade 11	48.5%	12.6%	11.0%	21.7%	6.2%
	Grade 12	48.6%	14.5%	14.2%	18.5%	4.2%
Cocaine?	All	88.3%	4.8%	0.6%	0.4%	6.0%
	Grade 6	90.3%	1.3%	0.3%	0.1%	8.0%
	Grade 7	85.1%	6.5%	0.8%	0.5%	7.0%
	Grade 8	88.8%	5.2%	0.4%	0.5%	5.1%
	Grade 9	92.0%	4.6%	0.9%	0.5%	2.0%
	Grade 10	86.8%	5.3%	0.7%	0.3%	6.9%
	Grade 11	83.2%	7.6%	0.5%	0.5%	8.3%
	Grade 12	91.6%	2.8%	0.8%	0.3%	4.4%
Crack?	All	88.8%	3.9%	0.4%	0.3%	6.6%
	Grade 6	88.5%	1.4%	0.1%	0.1%	9.8%
	Grade 7	86.9%	4.9%	0.6%	0.3%	7.4%
	Grade 8	88.0%	5.3%	0.2%	0.5%	6.0%
	Grade 9	93.1%	3.7%	0.4%	0.5%	2.3%
	Grade 10	87.7%	4.2%	0.5%	0.3%	7.2%
	Grade 11	84.9%	5.9%	0.3%	0.4%	8.5%
	Grade 12	92.9%	1.9%	0.4%	0.2%	4.6%
Ecstasy?	All	83.9%	5.4%	0.9%	0.5%	9.3%
	Grade 6	86.2%	1.9%	0.2%	0.1%	11.7%
	Grade 7	81.9%	5.4%	0.7%	0.1%	11.8%
	Grade 8	85.4%	4.0%	0.7%	0.5%	9.4%
	Grade 9	89.2%	6.5%	0.7%	0.4%	3.2%
	Grade 10	79.6%	7.2%	1.2%	0.9%	11.1%
	Grade 11	79.6%	6.3%	1.2%	0.5%	12.4%
	Grade 12	85.0%	6.9%	1.7%	1.0%	5.4%

**Table D-12: How dangerous do you think it is for kids your age to use ...  
(Continued)**

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Hydrocodone (Vicodin, Lortab, Or Lorcet)?	All	83.6%	5.6%	1.9%	1.0%	7.9%
	Grade 6	88.5%	2.0%	0.2%	0.4%	8.9%
	Grade 7	82.7%	4.2%	1.1%	1.8%	10.2%
	Grade 8	84.5%	3.4%	2.7%	0.8%	8.6%
	Grade 9	86.7%	7.7%	1.5%	0.8%	3.3%
	Grade 10	80.3%	6.5%	3.0%	1.4%	8.8%
	Grade 11	78.2%	9.1%	1.8%	1.0%	9.9%
	Grade 12	83.9%	6.9%	3.2%	0.4%	5.5%
Steroids?	All	79.1%	10.5%	2.4%	0.5%	7.5%
	Grade 6	84.3%	6.3%	0.0%	0.1%	9.3%
	Grade 7	78.6%	7.6%	4.7%	0.3%	8.8%
	Grade 8	79.3%	10.0%	1.6%	0.7%	8.4%
	Grade 9	79.8%	13.7%	3.2%	0.8%	2.5%
	Grade 10	76.6%	11.7%	3.0%	0.4%	8.3%
	Grade 11	75.6%	12.8%	1.6%	0.4%	9.6%
	Grade 12	79.1%	11.8%	2.7%	0.5%	5.9%
Heroin?	All	88.3%	3.7%	0.4%	0.3%	7.2%
	Grade 6	86.6%	4.5%	0.1%	0.1%	8.7%
	Grade 7	85.4%	2.7%	1.1%	0.1%	10.6%
	Grade 8	88.3%	3.3%	0.1%	0.5%	7.9%
	Grade 9	92.8%	3.6%	0.6%	0.4%	2.6%
	Grade 10	87.7%	3.9%	0.4%	0.4%	7.5%
	Grade 11	84.6%	7.0%	0.2%	0.4%	7.8%
	Grade 12	93.3%	1.1%	0.3%	0.2%	5.1%
Methamphetamine?	All	89.0%	2.9%	0.7%	0.3%	7.2%
	Grade 6	89.2%	1.7%	0.0%	0.1%	9.0%
	Grade 7	85.5%	3.0%	1.2%	0.3%	10.0%
	Grade 8	88.9%	2.6%	0.0%	0.5%	8.0%
	Grade 9	93.0%	3.6%	0.3%	0.4%	2.8%
	Grade 10	88.3%	3.1%	0.8%	0.3%	7.4%
	Grade 11	84.8%	5.1%	2.0%	0.4%	7.8%
	Grade 12	93.5%	1.1%	0.3%	0.2%	4.9%
Synthetic Marijuana?	All	83.1%	6.4%	2.2%	0.8%	7.5%
	Grade 6	88.6%	2.3%	0.0%	0.1%	9.1%
	Grade 7	80.6%	3.6%	3.2%	1.5%	11.1%
	Grade 8	81.0%	6.0%	3.2%	0.9%	8.9%
	Grade 9	87.1%	7.7%	1.8%	0.8%	2.6%
	Grade 10	79.5%	8.7%	3.0%	0.7%	8.1%
	Grade 11	79.4%	9.6%	2.9%	0.9%	7.3%
	Grade 12	85.3%	7.6%	1.3%	0.4%	5.4%

**Table D-13: How recently, if ever, have you taken the following PRESCRIPTION drugs ...**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	5.4%	7.8%	11.0%	89.1%
Grade 6	4.9%	6.0%	6.7%	93.4%
Grade 7	2.9%	4.9%	8.3%	91.7%
Grade 8	5.3%	8.7%	12.3%	87.7%
Grade 9	3.7%	5.2%	8.5%	91.5%
Grade 10	8.0%	11.6%	16.3%	83.6%
Grade 11	6.7%	8.8%	11.7%	88.3%
Grade 12	6.7%	9.8%	14.2%	85.8%
Oxycontin, Percodan, Percocet Or Oxycodone?				
All	1.2%	1.4%	2.1%	98.0%
Grade 6	0.5%	0.6%	0.6%	99.3%
Grade 7	0.2%	0.4%	0.5%	99.5%
Grade 8	0.8%	0.8%	2.7%	97.2%
Grade 9	0.8%	0.9%	1.3%	98.7%
Grade 10	3.0%	3.7%	4.3%	95.7%
Grade 11	1.6%	1.7%	2.7%	97.2%
Grade 12	1.4%	1.7%	2.3%	97.8%
Vicodin, Lortab, Lorcet, Or Hydrocodone?				
All	2.3%	4.1%	5.2%	94.8%
Grade 6	0.0%	0.1%	0.1%	99.9%
Grade 7	0.8%	1.1%	1.7%	98.3%
Grade 8	1.7%	4.4%	5.4%	94.6%
Grade 9	1.8%	2.0%	2.5%	97.5%
Grade 10	2.8%	4.5%	6.5%	93.6%
Grade 11	3.2%	6.6%	8.7%	91.3%
Grade 12	6.9%	11.9%	13.8%	86.3%
Valium Or Diazepam?				
All	0.3%	0.5%	0.8%	99.3%
Grade 6	0.0%	0.3%	0.3%	99.7%
Grade 7	0.0%	0.2%	0.6%	99.4%
Grade 8	0.6%	0.6%	1.0%	99.1%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.5%	0.6%	0.8%	99.3%
Grade 11	0.5%	0.9%	1.2%	98.8%
Grade 12	0.7%	0.9%	1.3%	98.7%
Xanax Or Alprazolam?				
All	1.1%	1.5%	2.1%	97.9%
Grade 6	0.0%	0.1%	0.1%	99.9%
Grade 7	0.3%	0.7%	0.9%	99.2%
Grade 8	0.8%	0.9%	1.7%	98.2%
Grade 9	1.0%	1.3%	1.8%	98.2%
Grade 10	1.2%	2.1%	2.9%	97.1%
Grade 11	1.9%	2.1%	3.2%	96.8%
Grade 12	3.1%	4.2%	5.0%	95.1%

**Table D-14: How recently, if ever, have you taken the following OVER-THE-COUNTER drugs ...**

	Past Month	School Year	Ever Used	Never Used
Dxm, Triple Cs, Or Coricidin?				
All	1.9%	3.1%	4.1%	95.9%
Grade 6	0.0%	4.7%	4.9%	95.1%
Grade 7	2.0%	2.5%	3.2%	96.8%
Grade 8	1.9%	2.6%	3.6%	96.5%
Grade 9	1.7%	2.4%	3.4%	96.6%
Grade 10	2.7%	3.4%	5.7%	94.3%
Grade 11	3.5%	4.0%	5.0%	95.0%
Grade 12	1.4%	2.1%	3.3%	96.6%

## Inhalants

Table I-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Spray Paint?				
All	0.9%	1.1%	3.0%	97.0%
Grade 6	0.0%	0.1%	2.3%	97.7%
Grade 7	1.2%	1.9%	3.0%	97.0%
Grade 8	1.0%	1.3%	4.0%	96.0%
Grade 9	0.2%	0.2%	1.1%	98.9%
Grade 10	0.6%	0.9%	2.4%	97.6%
Grade 11	2.5%	2.6%	5.3%	94.7%
Grade 12	1.1%	1.1%	3.5%	96.4%
Whiteout, Correction Fluid, Magic Markers?				
All	1.4%	1.8%	5.5%	94.4%
Grade 6	0.4%	0.5%	1.7%	98.2%
Grade 7	1.8%	2.2%	6.2%	93.9%
Grade 8	1.1%	2.7%	13.3%	86.6%
Grade 9	1.8%	2.3%	5.1%	94.9%
Grade 10	0.9%	1.1%	3.0%	97.0%
Grade 11	4.0%	4.2%	6.7%	93.3%
Grade 12	0.1%	0.2%	3.0%	97.0%
Computer Dusting Sprays?				
All	0.7%	1.0%	2.3%	97.7%
Grade 6	0.0%	0.0%	0.3%	99.7%
Grade 7	0.7%	1.2%	2.2%	97.7%
Grade 8	1.2%	1.6%	2.5%	97.5%
Grade 9	0.1%	0.2%	1.0%	99.0%
Grade 10	0.1%	0.4%	3.1%	96.9%
Grade 11	2.4%	2.6%	3.7%	96.3%
Grade 12	0.1%	1.2%	3.9%	96.2%
Helium, Butane, Propane, Whip-pets, Freon?				
All	1.4%	1.8%	6.3%	93.6%
Grade 6	0.2%	0.4%	1.9%	98.1%
Grade 7	3.3%	3.6%	6.6%	93.4%
Grade 8	1.4%	1.8%	8.2%	91.8%
Grade 9	0.8%	1.6%	9.6%	90.4%
Grade 10	0.7%	1.5%	5.6%	94.4%
Grade 11	0.8%	0.8%	6.6%	93.4%
Grade 12	3.0%	3.2%	6.0%	94.0%
Glue?				
All	0.4%	0.5%	1.4%	98.6%
Grade 6	0.4%	0.4%	3.9%	96.1%
Grade 7	0.4%	0.6%	0.9%	99.1%
Grade 8	0.2%	0.6%	1.1%	99.0%
Grade 9	1.1%	1.2%	1.5%	98.5%
Grade 10	0.2%	0.3%	0.8%	99.3%
Grade 11	0.4%	0.5%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.6%	99.4%

**Table I-1: How recently, if ever, have you used ...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Toluene, Paint Thinner, Other Solvents?				
All	0.3%	0.6%	1.4%	98.7%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	0.2%	0.5%	1.0%	99.0%
Grade 8	1.0%	1.2%	1.6%	98.5%
Grade 9	0.1%	0.3%	0.8%	99.3%
Grade 10	0.2%	0.3%	1.3%	98.7%
Grade 11	0.3%	0.4%	3.0%	96.9%
Grade 12	0.0%	1.0%	1.7%	98.2%
Gasoline, Octane Booster, Carburetor Cleaner?				
All	0.6%	1.0%	2.0%	98.0%
Grade 6	0.0%	0.1%	0.3%	99.7%
Grade 7	0.9%	1.1%	1.8%	98.2%
Grade 8	0.5%	2.4%	3.7%	96.2%
Grade 9	1.0%	1.2%	2.4%	97.6%
Grade 10	0.3%	0.4%	2.2%	97.8%
Grade 11	0.6%	0.6%	1.5%	98.5%
Grade 12	1.2%	1.4%	2.4%	97.5%
Other Aerosols/Sprays?				
All	0.5%	0.8%	2.0%	98.0%
Grade 6	0.3%	0.5%	0.8%	99.2%
Grade 7	1.0%	1.1%	3.5%	96.5%
Grade 8	0.8%	1.2%	2.2%	97.8%
Grade 9	0.2%	0.5%	2.2%	97.8%
Grade 10	0.4%	0.7%	1.6%	98.3%
Grade 11	0.4%	0.4%	1.2%	98.7%
Grade 12	0.3%	1.4%	2.6%	97.4%
Any Inhalant?				
All	3.6%	4.8%	13.5%	86.5%
Grade 6	1.0%	1.4%	7.2%	92.7%
Grade 7	6.1%	7.0%	14.1%	86.0%
Grade 8	4.3%	8.0%	22.8%	77.2%
Grade 9	3.6%	4.8%	14.8%	85.3%
Grade 10	1.8%	3.0%	10.8%	89.2%
Grade 11	5.1%	5.3%	14.5%	85.5%
Grade 12	3.5%	3.9%	9.7%	90.4%

**Table I-2: How often do you normally use inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	96.8%	0.1%	0.2%	0.2%	0.5%	0.9%	1.3%
Grade 6	99.2%	0.0%	0.1%	0.0%	0.1%	0.0%	0.5%
Grade 7	94.9%	0.1%	0.4%	0.6%	1.0%	1.1%	1.9%
Grade 8	93.1%	0.0%	0.5%	0.1%	0.5%	3.4%	2.3%
Grade 9	97.8%	0.2%	0.0%	0.4%	0.2%	0.5%	0.9%
Grade 10	97.9%	0.1%	0.0%	0.1%	0.4%	0.5%	1.0%
Grade 11	97.9%	0.0%	0.1%	0.0%	0.2%	0.4%	1.4%
Grade 12	97.2%	0.0%	0.2%	0.0%	1.3%	0.5%	0.7%

**Table I-3: Number of different kinds of inhalants used**

	None	One	Two to Three	Four Plus
All	86.6%	8.0%	4.4%	1.1%
Grade 6	92.7%	4.3%	2.7%	0.3%
Grade 7	86.1%	7.9%	5.0%	1.1%
Grade 8	77.2%	15.1%	6.2%	1.5%
Grade 9	85.3%	9.4%	4.5%	0.8%
Grade 10	89.2%	7.2%	2.0%	1.6%
Grade 11	85.6%	6.1%	7.8%	0.6%
Grade 12	90.4%	5.4%	2.2%	2.0%

**Table I-4: Average age of first use of inhalants:**

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	9.8	11.7	11.7	10.2	12.9	13.4	14.1

**Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?**

	None	1 to 3 days	4 to 9 days	10+ days
All	98.7%	0.7%	0.4%	0.2%
Grade 6	99.8%	0.2%	0.0%	0.0%
Grade 7	98.1%	1.5%	0.2%	0.2%
Grade 8	99.0%	0.3%	0.1%	0.6%
Grade 9	99.4%	0.4%	0.1%	0.1%
Grade 10	99.1%	0.8%	0.0%	0.1%
Grade 11	97.6%	0.3%	2.2%	0.0%
Grade 12	98.0%	1.7%	0.0%	0.3%

**Table I-6: School year use of inhalants by absences and conduct problems:**

	Average days absent due to illness or other reasons
Inhalants Users	5.0
Inhalants Non-Users	3.8
	Average days conduct problems reported
Inhalants Users	3.1
Inhalants Non-Users	1.2

**Table I-7: About how many of your close friends use inhalants?**

	None	A Few	Some	Most	All
All	90.6%	6.3%	2.6%	0.4%	0.1%
Grade 6	96.5%	3.2%	0.1%	0.0%	0.2%
Grade 7	87.4%	8.6%	3.3%	0.5%	0.2%
Grade 8	88.1%	9.1%	2.4%	0.4%	0.0%
Grade 9	88.8%	7.3%	3.5%	0.3%	0.1%
Grade 10	90.5%	7.1%	2.0%	0.3%	0.2%
Grade 11	89.8%	5.5%	4.4%	0.2%	0.2%
Grade 12	93.7%	2.2%	2.7%	1.2%	0.2%

**Table I-8: How dangerous do you think it is for kids your age to use inhalants?**

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	79.4%	9.7%	2.2%	1.0%	7.6%
Grade 6	82.9%	5.8%	1.8%	0.1%	9.4%
Grade 7	76.5%	8.3%	3.5%	3.2%	8.5%
Grade 8	76.8%	12.8%	1.9%	1.7%	6.7%
Grade 9	79.6%	12.8%	3.1%	0.4%	4.0%
Grade 10	83.5%	6.4%	1.3%	0.5%	8.4%
Grade 11	74.9%	12.2%	2.7%	0.6%	9.5%
Grade 12	82.4%	9.3%	1.0%	0.2%	7.1%

**Table I-9: If you wanted some, how difficult would it be to get inhalants?**

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	40.3%	18.0%	5.7%	5.5%	9.7%	20.8%
Grade 6	59.6%	22.8%	2.5%	1.5%	5.4%	8.3%
Grade 7	47.2%	20.9%	3.9%	3.7%	8.5%	15.8%
Grade 8	35.0%	19.6%	6.9%	6.6%	12.0%	20.0%
Grade 9	32.5%	17.5%	7.3%	6.2%	9.2%	27.3%
Grade 10	40.1%	8.8%	5.6%	8.7%	9.3%	27.5%
Grade 11	30.9%	25.3%	5.8%	5.1%	10.1%	22.9%
Grade 12	33.8%	10.2%	8.7%	7.1%	14.1%	26.1%

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

		Yes
A School Health Class		
	All	32.9%
	Grade 6	24.9%
	Grade 7	23.1%
	Grade 8	33.9%
	Grade 9	45.9%
	Grade 10	35.8%
	Grade 11	32.4%
	Grade 12	33.0%
An Assembly Program		
	All	55.4%
	Grade 6	46.3%
	Grade 7	47.0%
	Grade 8	56.4%
	Grade 9	63.2%
	Grade 10	59.9%
	Grade 11	57.0%
	Grade 12	57.6%
Guidance Counselor		
	All	29.3%
	Grade 6	32.3%
	Grade 7	27.8%
	Grade 8	35.1%
	Grade 9	30.2%
	Grade 10	22.7%
	Grade 11	23.9%
	Grade 12	32.9%
Science Or Social Studies Class		
	All	27.8%
	Grade 6	18.4%
	Grade 7	25.9%
	Grade 8	31.2%
	Grade 9	36.2%
	Grade 10	26.1%
	Grade 11	28.3%
	Grade 12	26.7%

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?  
(Continued)**

	Yes
<b>Student Group Or Club Meeting At School</b>	
All	13.6%
Grade 6	5.2%
Grade 7	7.3%
Grade 8	14.2%
Grade 9	19.3%
Grade 10	16.4%
Grade 11	15.7%
Grade 12	16.1%
<b>An Invited School Guest</b>	
All	33.5%
Grade 6	16.0%
Grade 7	28.0%
Grade 8	36.8%
Grade 9	40.4%
Grade 10	35.4%
Grade 11	40.2%
Grade 12	36.2%
<b>Another Source At School</b>	
All	30.9%
Grade 6	24.4%
Grade 7	28.7%
Grade 8	33.7%
Grade 9	39.7%
Grade 10	35.4%
Grade 11	27.6%
Grade 12	25.2%
<b>Any School Source</b>	
All	67.4%
Grade 6	51.4%
Grade 7	64.9%
Grade 8	71.6%
Grade 9	79.4%
Grade 10	72.1%
Grade 11	64.0%
Grade 12	66.4%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

		Yes
Counselor/Program In-School		
	All	38.8%
	Grade 6	53.4%
	Grade 7	44.0%
	Grade 8	43.8%
	Grade 9	42.8%
	Grade 10	30.7%
	Grade 11	22.8%
	Grade 12	32.4%
Another Adult In School		
	All	43.9%
	Grade 6	49.5%
	Grade 7	49.6%
	Grade 8	47.3%
	Grade 9	53.0%
	Grade 10	41.9%
	Grade 11	28.4%
	Grade 12	35.6%
Counselor/Program Outside-School		
	All	42.7%
	Grade 6	51.0%
	Grade 7	47.1%
	Grade 8	49.6%
	Grade 9	42.4%
	Grade 10	37.7%
	Grade 11	32.9%
	Grade 12	36.6%
Your Parents		
	All	68.7%
	Grade 6	81.1%
	Grade 7	68.7%
	Grade 8	71.9%
	Grade 9	69.6%
	Grade 10	62.9%
	Grade 11	63.4%
	Grade 12	62.9%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?  
(Continued)

		Yes
A Medical Doctor		
	All	51.2%
	Grade 6	63.7%
	Grade 7	56.8%
	Grade 8	50.3%
	Grade 9	49.3%
	Grade 10	44.7%
	Grade 11	45.0%
	Grade 12	48.3%
Your Friends		
	All	60.8%
	Grade 6	37.5%
	Grade 7	57.8%
	Grade 8	63.9%
	Grade 9	68.3%
	Grade 10	71.3%
	Grade 11	60.4%
	Grade 12	64.7%
Another Adult		
	All	62.4%
	Grade 6	61.0%
	Grade 7	65.3%
	Grade 8	62.3%
	Grade 9	66.0%
	Grade 10	61.5%
	Grade 11	64.0%
	Grade 12	55.4%

**Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?**

		Yes
Sought Help For Drug/Alcohol Problem		
	All	6.5%
	Grade 6	1.5%
	Grade 7	6.4%
	Grade 8	7.6%
	Grade 9	6.6%
	Grade 10	7.0%
	Grade 11	12.6%
	Grade 12	3.7%

Table X-4: About how many of your friends

	None	A Few	Some	Most	All
Feel Close To Their Parents?					
All	4.4%	23.2%	22.5%	36.5%	13.4%
Grade 6	9.0%	26.5%	15.5%	28.3%	20.6%
Grade 7	4.4%	20.4%	20.4%	33.7%	21.0%
Grade 8	3.4%	22.3%	21.6%	40.6%	12.1%
Grade 9	4.4%	19.6%	24.2%	43.6%	8.1%
Grade 10	2.4%	24.3%	23.1%	41.7%	8.5%
Grade 11	4.6%	25.6%	28.7%	31.6%	9.5%
Grade 12	1.8%	24.1%	25.0%	36.0%	13.1%
Sometimes Carry Weapons?					
All	56.3%	25.7%	11.0%	5.4%	1.6%
Grade 6	81.5%	11.4%	4.0%	2.8%	0.4%
Grade 7	73.4%	20.0%	3.7%	2.1%	0.8%
Grade 8	63.5%	24.6%	7.3%	3.6%	1.0%
Grade 9	40.1%	36.6%	12.6%	9.2%	1.5%
Grade 10	41.8%	33.0%	15.2%	7.5%	2.6%
Grade 11	44.8%	31.1%	17.1%	5.8%	1.3%
Grade 12	43.4%	24.3%	20.0%	7.7%	4.5%
Care About Making Good Grades?					
All	2.8%	12.9%	22.2%	41.5%	20.6%
Grade 6	4.3%	17.8%	14.7%	36.0%	27.2%
Grade 7	3.0%	14.3%	25.1%	36.1%	21.5%
Grade 8	3.4%	12.9%	18.2%	40.7%	24.8%
Grade 9	2.1%	8.0%	26.8%	46.3%	16.8%
Grade 10	2.2%	12.8%	24.0%	43.2%	17.8%
Grade 11	3.3%	9.3%	23.6%	45.3%	18.5%
Grade 12	1.1%	14.7%	23.7%	44.3%	16.1%
Belong/Want To Belong To A Gang?					
All	83.1%	11.9%	3.5%	0.6%	0.9%
Grade 6	92.8%	6.0%	0.8%	0.3%	0.1%
Grade 7	83.3%	12.5%	3.1%	0.4%	0.6%
Grade 8	86.6%	7.2%	4.6%	0.7%	0.9%
Grade 9	76.8%	17.9%	4.0%	0.5%	0.8%
Grade 10	76.8%	17.9%	2.4%	1.9%	1.1%
Grade 11	82.8%	12.9%	3.1%	0.4%	0.8%
Grade 12	82.0%	8.9%	6.8%	0.2%	2.1%
Wish They Could Drop Out Of School?					
All	62.6%	25.6%	7.2%	2.4%	2.3%
Grade 6	72.0%	23.0%	2.9%	1.0%	1.1%
Grade 7	63.0%	22.8%	9.8%	2.4%	2.0%
Grade 8	58.7%	27.4%	9.3%	1.2%	3.5%
Grade 9	57.6%	34.0%	5.5%	1.4%	1.5%
Grade 10	61.7%	25.4%	7.7%	2.6%	2.7%
Grade 11	60.8%	27.7%	7.8%	1.9%	1.8%
Grade 12	63.9%	17.7%	7.9%	6.8%	3.7%

Table X-5: How safe to do you feel when you are:

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do not Know
In Your Home?					
All	86.1%	12.1%	1.0%	0.2%	0.7%
Grade 6	83.9%	15.2%	0.5%	0.1%	0.2%
Grade 7	84.6%	13.7%	1.5%	0.0%	0.3%
Grade 8	86.8%	12.1%	0.5%	0.1%	0.5%
Grade 9	85.8%	10.7%	2.3%	0.5%	0.6%
Grade 10	87.4%	11.5%	0.6%	0.2%	0.3%
Grade 11	86.3%	10.4%	0.7%	0.3%	2.3%
Grade 12	88.4%	10.5%	0.4%	0.2%	0.4%
Out In Your Neighborhood?					
All	47.5%	42.9%	5.4%	1.3%	2.9%
Grade 6	38.1%	45.3%	7.0%	1.6%	8.0%
Grade 7	37.2%	51.3%	8.2%	1.8%	1.5%
Grade 8	40.1%	52.5%	5.1%	1.1%	1.1%
Grade 9	53.3%	40.1%	4.2%	0.9%	1.5%
Grade 10	55.6%	36.1%	4.0%	0.5%	3.9%
Grade 11	52.8%	40.3%	2.6%	1.4%	2.8%
Grade 12	58.8%	32.4%	6.3%	1.7%	0.8%
At School?					
All	50.9%	39.3%	4.9%	2.4%	2.5%
Grade 6	66.0%	29.3%	2.7%	0.6%	1.3%
Grade 7	53.5%	35.7%	5.0%	1.9%	3.9%
Grade 8	46.8%	43.7%	5.1%	2.7%	1.6%
Grade 9	45.6%	40.8%	9.0%	2.1%	2.6%
Grade 10	47.9%	43.0%	3.7%	3.4%	1.9%
Grade 11	44.2%	44.9%	4.4%	2.6%	3.9%
Grade 12	50.7%	38.7%	4.4%	4.0%	2.1%

## 2 Prevalence Tables

**Table B-1: Prevalence and recency of use of selected substances by grade  
All Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	11.6%	15.6%	28.6%	71.4%
	Grade 6	0.5%	0.9%	3.8%	96.2%
	Grade 7	4.2%	6.5%	19.7%	80.2%
	Grade 8	7.5%	12.8%	26.9%	73.1%
	Grade 9	9.9%	16.2%	28.9%	71.0%
	Grade 10	20.2%	24.9%	38.4%	61.6%
	Grade 11	21.4%	25.0%	39.1%	60.9%
	Grade 12	21.5%	27.4%	49.6%	50.5%
Alcohol	All	21.1%	28.6%	51.3%	48.7%
	Grade 6	2.3%	3.2%	18.3%	81.6%
	Grade 7	9.9%	14.1%	40.4%	59.6%
	Grade 8	17.9%	26.0%	48.2%	51.8%
	Grade 9	22.8%	33.3%	55.8%	44.3%
	Grade 10	26.9%	38.0%	66.8%	33.2%
	Grade 11	37.8%	46.9%	65.8%	34.3%
	Grade 12	35.6%	45.3%	71.5%	28.4%
Inhalants	All	3.6%	4.8%	13.5%	86.5%
	Grade 6	1.0%	1.4%	7.2%	92.7%
	Grade 7	6.1%	7.0%	14.1%	86.0%
	Grade 8	4.3%	8.0%	22.8%	77.2%
	Grade 9	3.6%	4.8%	14.8%	85.3%
	Grade 10	1.8%	3.0%	10.8%	89.2%
	Grade 11	5.1%	5.3%	14.5%	85.5%
	Grade 12	3.5%	3.9%	9.7%	90.4%
Any Illicit Drug	All	8.5%	12.1%	22.5%	77.5%
	Grade 6	0.5%	0.7%	2.3%	97.8%
	Grade 7	4.8%	6.3%	11.7%	88.3%
	Grade 8	7.0%	10.2%	15.8%	84.1%
	Grade 9	5.7%	11.0%	19.5%	80.5%
	Grade 10	13.0%	17.6%	31.4%	68.6%
	Grade 11	15.1%	19.7%	41.2%	58.8%
	Grade 12	16.1%	22.7%	42.3%	57.8%
Marijuana	All	7.9%	11.5%	21.5%	78.5%
	Grade 6	0.3%	0.5%	1.6%	98.5%
	Grade 7	4.0%	5.5%	10.5%	89.6%
	Grade 8	6.3%	9.5%	15.1%	84.8%
	Grade 9	5.5%	10.5%	19.0%	81.1%
	Grade 10	12.6%	17.3%	30.6%	69.3%
	Grade 11	14.3%	19.1%	38.8%	61.2%
	Grade 12	14.7%	21.1%	41.0%	58.9%

**Table B-1: Prevalence and recency of use of selected substances by grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.2%	6.3%	13.0%	87.1%
Grade 6	0.1%	0.3%	1.2%	98.7%
Grade 7	1.7%	2.5%	5.8%	94.1%
Grade 8	3.0%	4.4%	8.7%	91.2%
Grade 9	2.5%	6.4%	12.7%	87.2%
Grade 10	6.7%	8.8%	17.8%	82.2%
Grade 11	8.2%	10.4%	21.7%	78.3%
Grade 12	8.3%	12.5%	26.2%	73.9%
Cocaine Or Crack				
All	0.6%	0.9%	2.0%	98.1%
Grade 6	0.0%	0.0%	0.4%	99.6%
Grade 7	0.6%	0.7%	1.2%	98.8%
Grade 8	0.4%	0.7%	1.2%	98.8%
Grade 9	0.4%	0.7%	1.4%	98.6%
Grade 10	0.3%	0.8%	2.9%	97.2%
Grade 11	1.4%	1.7%	2.7%	97.3%
Grade 12	1.1%	1.6%	4.4%	95.6%
Cocaine				
All	0.5%	0.7%	1.8%	98.2%
Grade 6	0.0%	0.0%	0.4%	99.6%
Grade 7	0.5%	0.6%	1.0%	99.0%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.4%	0.6%	1.3%	98.7%
Grade 10	0.3%	0.7%	2.8%	97.2%
Grade 11	1.4%	1.7%	2.6%	97.3%
Grade 12	1.1%	1.6%	4.4%	95.6%
Crack				
All	0.0%	0.1%	0.2%	99.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.6%	0.7%	99.3%
Grade 9	0.0%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.1%	0.2%	99.8%
Hallucinogens				
All	0.3%	0.6%	1.3%	98.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.3%	0.5%	1.0%	99.1%
Grade 9	0.1%	0.4%	1.0%	99.0%
Grade 10	0.4%	1.0%	1.7%	98.4%
Grade 11	0.9%	1.5%	2.3%	97.7%
Grade 12	0.3%	1.1%	3.4%	96.6%

**Table B-1: Prevalence and recency of use of selected substances by grade**  
**All Students**  
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.4%	0.6%	99.4%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.1%	0.2%	0.5%	99.4%
	Grade 8	0.4%	0.6%	0.6%	99.4%
	Grade 9	0.1%	0.1%	0.4%	99.6%
	Grade 10	0.1%	0.2%	0.6%	99.4%
	Grade 11	0.3%	0.3%	0.8%	99.3%
	Grade 12	1.1%	1.1%	1.2%	98.9%
Steroids	All	0.3%	0.5%	1.2%	98.9%
	Grade 6	0.1%	0.1%	0.3%	99.7%
	Grade 7	0.1%	1.0%	1.3%	98.7%
	Grade 8	0.2%	0.2%	0.5%	99.4%
	Grade 9	0.1%	0.1%	1.4%	98.6%
	Grade 10	1.0%	1.1%	1.4%	98.6%
	Grade 11	0.3%	0.4%	2.6%	97.4%
	Grade 12	0.0%	0.0%	0.3%	99.7%
Ecstasy	All	0.4%	0.5%	1.1%	98.9%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.1%	0.1%	0.8%	99.3%
	Grade 8	0.6%	0.7%	0.9%	99.1%
	Grade 9	0.5%	0.5%	1.1%	98.9%
	Grade 10	0.4%	0.7%	1.7%	98.3%
	Grade 11	0.7%	1.0%	2.3%	97.6%
	Grade 12	0.4%	0.6%	1.0%	99.0%
Heroin	All	0.1%	0.1%	0.3%	99.7%
	Grade 6	0.1%	0.1%	0.2%	99.8%
	Grade 7	0.1%	0.1%	0.1%	99.9%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.1%	0.1%	0.2%	99.9%
	Grade 10	0.1%	0.1%	0.5%	99.5%
	Grade 11	0.1%	0.1%	0.1%	99.9%
	Grade 12	0.0%	0.0%	1.3%	98.7%

**Table B-1: Prevalence and recency of use of selected substances by grade**  
**All Students**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.5%	2.6%	7.3%	92.7%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	1.5%	2.1%	4.3%	95.7%
Grade 8	2.2%	4.1%	6.0%	94.0%
Grade 9	0.8%	1.2%	5.6%	94.4%
Grade 10	2.1%	4.3%	11.9%	88.1%
Grade 11	1.1%	2.2%	12.2%	87.8%
Grade 12	3.0%	4.6%	13.2%	86.8%
Methamphetamine				
All	0.4%	0.5%	0.6%	99.4%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.3%	0.3%	0.5%	99.6%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.3%	0.5%	99.5%
Grade 11	1.7%	1.7%	1.8%	98.2%
Grade 12	0.3%	0.3%	0.6%	99.4%

**Table B-2: Prevalence and recency of use of selected substances by grade  
Male Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	16.2%	20.9%	34.4%	65.6%
	Grade 6	0.6%	1.0%	3.0%	97.1%
	Grade 7	7.1%	11.2%	29.5%	70.4%
	Grade 8	11.1%	19.2%	30.3%	69.7%
	Grade 9	16.2%	23.3%	34.8%	65.3%
	Grade 10	24.6%	31.5%	44.9%	55.1%
	Grade 11	22.9%	25.7%	41.6%	58.4%
	Grade 12	33.4%	37.9%	63.4%	36.6%
Alcohol	All	25.5%	32.1%	53.8%	46.2%
	Grade 6	1.6%	2.7%	18.9%	81.1%
	Grade 7	17.7%	20.2%	50.3%	49.7%
	Grade 8	30.3%	35.6%	51.5%	48.5%
	Grade 9	24.4%	33.6%	54.8%	45.2%
	Grade 10	24.8%	36.6%	69.7%	30.3%
	Grade 11	40.0%	48.7%	63.0%	37.0%
	Grade 12	44.3%	52.1%	75.8%	24.2%
Inhalants	All	3.9%	4.9%	12.9%	87.2%
	Grade 6	0.2%	0.2%	7.8%	92.2%
	Grade 7	5.5%	6.1%	15.0%	85.0%
	Grade 8	6.0%	10.7%	18.4%	81.6%
	Grade 9	2.1%	3.3%	12.5%	87.5%
	Grade 10	0.9%	1.5%	8.7%	91.3%
	Grade 11	7.8%	7.8%	15.8%	84.2%
	Grade 12	5.3%	5.3%	12.5%	87.5%
Any Illicit Drug	All	9.8%	13.1%	25.4%	74.7%
	Grade 6	0.5%	0.8%	3.2%	96.7%
	Grade 7	8.8%	10.2%	18.6%	81.5%
	Grade 8	9.3%	12.1%	16.7%	83.4%
	Grade 9	5.0%	10.8%	18.3%	81.7%
	Grade 10	10.2%	15.2%	31.7%	68.2%
	Grade 11	13.8%	16.7%	39.7%	60.3%
	Grade 12	23.3%	28.5%	52.2%	47.9%
Marijuana	All	8.9%	12.2%	24.2%	75.8%
	Grade 6	0.3%	0.6%	2.1%	97.9%
	Grade 7	7.8%	9.4%	16.6%	83.3%
	Grade 8	8.1%	11.2%	15.4%	84.6%
	Grade 9	4.4%	9.7%	18.0%	82.0%
	Grade 10	9.8%	15.0%	30.3%	69.8%
	Grade 11	12.8%	15.9%	39.0%	60.9%
	Grade 12	20.8%	25.9%	50.9%	49.1%

**Table B-2: Prevalence and recency of use of selected substances by grade  
Male Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.4%	6.2%	14.0%	86.0%
Grade 6	0.3%	0.6%	2.1%	97.9%
Grade 7	2.6%	3.3%	8.0%	92.0%
Grade 8	4.3%	6.4%	9.6%	90.4%
Grade 9	2.4%	6.6%	12.4%	87.6%
Grade 10	6.3%	8.4%	19.5%	80.5%
Grade 11	5.3%	6.5%	18.1%	81.8%
Grade 12	10.7%	13.1%	30.3%	69.7%
Cocaine Or Crack				
All	0.6%	0.9%	2.5%	97.5%
Grade 6	0.0%	0.0%	0.7%	99.3%
Grade 7	0.5%	0.7%	1.3%	98.7%
Grade 8	0.4%	0.8%	0.8%	99.2%
Grade 9	0.5%	1.1%	1.8%	98.2%
Grade 10	0.2%	0.8%	3.7%	96.3%
Grade 11	1.4%	1.6%	3.0%	97.0%
Grade 12	1.4%	1.9%	6.8%	93.1%
Cocaine				
All	0.6%	0.9%	2.5%	97.6%
Grade 6	0.0%	0.0%	0.7%	99.3%
Grade 7	0.3%	0.5%	1.1%	98.9%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.5%	0.8%	1.5%	98.5%
Grade 10	0.2%	0.8%	3.7%	96.3%
Grade 11	1.4%	1.6%	3.0%	97.0%
Grade 12	1.4%	1.9%	6.8%	93.1%
Crack				
All	0.0%	0.1%	0.1%	99.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.6%	0.6%	99.4%
Grade 9	0.0%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.2%	0.4%	99.7%
Hallucinogens				
All	0.4%	0.8%	1.6%	98.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.4%	0.4%	1.1%	98.8%
Grade 8	0.2%	0.6%	1.0%	99.1%
Grade 9	0.1%	0.2%	0.7%	99.4%
Grade 10	0.3%	0.9%	1.2%	98.8%
Grade 11	1.4%	2.2%	2.8%	97.2%
Grade 12	0.4%	1.6%	5.2%	94.7%

**Table B-2: Prevalence and recency of use of selected substances by grade  
Male Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.6%	0.8%	99.2%
	Grade 6	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.3%	0.5%	1.1%	98.9%
	Grade 8	0.6%	0.9%	0.9%	99.1%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.1%	0.1%	0.1%	99.9%
	Grade 11	0.4%	0.4%	0.7%	99.2%
	Grade 12	2.0%	2.0%	2.2%	97.8%
Steroids	All	0.4%	0.6%	1.4%	98.5%
	Grade 6	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.0%	1.7%	1.9%	98.1%
	Grade 8	0.2%	0.2%	0.4%	99.6%
	Grade 9	0.2%	0.2%	0.5%	99.4%
	Grade 10	1.8%	2.0%	2.3%	97.7%
	Grade 11	0.5%	0.5%	4.0%	96.0%
	Grade 12	0.1%	0.1%	0.6%	99.4%
Ecstasy	All	0.5%	0.6%	1.4%	98.6%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.2%	0.2%	1.8%	98.2%
	Grade 8	1.1%	1.1%	1.1%	98.9%
	Grade 9	0.6%	0.7%	0.9%	99.1%
	Grade 10	0.0%	0.5%	2.3%	97.7%
	Grade 11	0.8%	0.9%	2.4%	97.5%
	Grade 12	0.5%	0.7%	1.2%	98.8%
Heroin	All	0.1%	0.1%	0.5%	99.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.2%	0.2%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.1%	0.1%	0.7%	99.2%
	Grade 11	0.2%	0.2%	0.2%	99.8%
	Grade 12	0.0%	0.0%	2.6%	97.4%

**Table B-2: Prevalence and recency of use of selected substances by grade  
Male Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.0%	3.0%	8.3%	91.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	3.3%	4.0%	8.3%	91.7%
Grade 8	3.0%	4.0%	6.0%	93.9%
Grade 9	0.8%	1.3%	4.4%	95.6%
Grade 10	1.1%	3.7%	10.4%	89.5%
Grade 11	1.2%	1.4%	12.4%	87.5%
Grade 12	5.0%	7.3%	17.6%	82.4%
Methamphetamine				
All	0.5%	0.5%	0.6%	99.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.0%	0.2%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.1%	0.3%	99.7%
Grade 11	2.8%	2.8%	2.8%	97.2%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-3: Prevalence and recency of use of selected substances by grade  
Female Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	6.9%	10.3%	22.9%	77.1%
	Grade 6	0.5%	0.9%	5.0%	95.1%
	Grade 7	2.2%	3.3%	12.9%	87.2%
	Grade 8	4.7%	7.8%	24.3%	75.6%
	Grade 9	4.8%	10.5%	24.6%	75.4%
	Grade 10	14.3%	16.9%	31.1%	68.8%
	Grade 11	19.1%	23.7%	35.6%	64.3%
	Grade 12	8.6%	16.1%	34.9%	65.2%
Alcohol	All	16.7%	25.2%	49.0%	51.0%
	Grade 6	3.2%	3.9%	17.7%	82.3%
	Grade 7	4.3%	9.8%	33.4%	66.6%
	Grade 8	8.0%	18.3%	45.8%	54.2%
	Grade 9	21.8%	33.4%	56.1%	43.9%
	Grade 10	28.8%	39.5%	64.7%	35.4%
	Grade 11	34.5%	44.0%	69.6%	30.4%
	Grade 12	26.9%	38.8%	68.4%	31.6%
Inhalants	All	3.4%	4.8%	14.1%	85.9%
	Grade 6	1.8%	2.7%	6.3%	93.7%
	Grade 7	6.6%	7.7%	13.5%	86.5%
	Grade 8	2.9%	5.9%	26.5%	73.5%
	Grade 9	4.9%	6.1%	15.7%	84.3%
	Grade 10	2.7%	4.6%	13.4%	86.6%
	Grade 11	1.3%	1.9%	12.5%	87.4%
	Grade 12	1.5%	2.4%	6.7%	93.3%
Any Illicit Drug	All	7.1%	11.0%	19.6%	80.4%
	Grade 6	0.5%	0.5%	1.0%	99.0%
	Grade 7	2.0%	3.6%	6.9%	93.1%
	Grade 8	5.2%	8.8%	15.3%	84.7%
	Grade 9	6.5%	11.5%	20.8%	79.3%
	Grade 10	15.1%	19.5%	31.0%	69.1%
	Grade 11	16.6%	23.6%	42.8%	57.3%
	Grade 12	8.5%	16.5%	31.7%	68.3%
Marijuana	All	6.8%	10.7%	18.7%	81.3%
	Grade 6	0.2%	0.2%	0.7%	99.2%
	Grade 7	1.2%	2.6%	5.9%	94.0%
	Grade 8	4.9%	8.3%	15.0%	85.0%
	Grade 9	6.5%	11.3%	20.0%	80.0%
	Grade 10	14.7%	19.2%	30.8%	69.1%
	Grade 11	16.1%	23.3%	38.1%	61.9%
	Grade 12	8.5%	16.4%	31.0%	69.0%

**Table B-3: Prevalence and recency of use of selected substances by grade**  
**Female Students**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.7%	6.0%	11.8%	88.2%
Grade 6	0.0%	0.0%	0.3%	99.7%
Grade 7	1.1%	2.0%	4.4%	95.6%
Grade 8	2.0%	2.8%	8.1%	91.8%
Grade 9	2.6%	6.4%	13.2%	86.8%
Grade 10	6.0%	8.2%	15.3%	84.7%
Grade 11	12.0%	15.5%	26.5%	73.5%
Grade 12	5.7%	11.9%	21.9%	78.0%
Cocaine Or Crack				
All	0.5%	0.7%	1.3%	98.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.7%	0.7%	1.1%	99.0%
Grade 8	0.4%	0.7%	1.5%	98.5%
Grade 9	0.3%	0.4%	1.0%	98.9%
Grade 10	0.4%	0.8%	1.8%	98.2%
Grade 11	1.3%	1.9%	2.4%	97.6%
Grade 12	0.8%	1.2%	1.8%	98.2%
Cocaine				
All	0.5%	0.7%	1.2%	98.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.3%	0.4%	1.0%	98.9%
Grade 10	0.4%	0.7%	1.7%	98.4%
Grade 11	1.3%	1.9%	2.2%	97.8%
Grade 12	0.8%	1.2%	1.8%	98.2%
Crack				
All	0.1%	0.2%	0.3%	99.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.4%	0.7%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.2%	0.4%	1.0%	99.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	0.1%	0.7%	1.4%	98.6%
Grade 10	0.4%	1.0%	2.1%	97.9%
Grade 11	0.0%	0.3%	1.5%	98.6%
Grade 12	0.2%	0.5%	1.4%	98.6%

**Table B-3: Prevalence and recency of use of selected substances by grade  
Female Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.0%	0.1%	0.4%	99.6%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.3%	0.4%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.6%	99.4%
	Grade 10	0.0%	0.2%	1.1%	98.9%
	Grade 11	0.0%	0.0%	0.7%	99.3%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.1%	0.2%	0.8%	99.2%
	Grade 6	0.2%	0.2%	0.3%	99.7%
	Grade 7	0.2%	0.4%	0.7%	99.2%
	Grade 8	0.2%	0.2%	0.6%	99.3%
	Grade 9	0.0%	0.0%	2.1%	97.9%
	Grade 10	0.0%	0.0%	0.4%	99.6%
	Grade 11	0.2%	0.4%	0.9%	99.2%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy	All	0.4%	0.5%	0.9%	99.1%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.3%	0.5%	0.8%	99.2%
	Grade 9	0.5%	0.5%	1.3%	98.7%
	Grade 10	0.9%	0.9%	1.1%	98.9%
	Grade 11	0.5%	1.1%	2.2%	97.7%
	Grade 12	0.3%	0.6%	1.0%	99.1%
Heroin	All	0.1%	0.1%	0.2%	99.9%
	Grade 6	0.2%	0.2%	0.4%	99.5%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.1%	0.1%	0.2%	99.7%
	Grade 10	0.0%	0.0%	0.2%	99.8%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-3: Prevalence and recency of use of selected substances by grade  
Female Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.0%	2.2%	6.4%	93.6%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.1%	0.7%	1.4%	98.6%
Grade 8	1.6%	4.1%	6.0%	94.0%
Grade 9	0.8%	1.2%	6.8%	93.3%
Grade 10	3.2%	5.0%	13.9%	86.1%
Grade 11	0.9%	3.3%	11.7%	88.4%
Grade 12	0.9%	1.7%	8.4%	91.7%
Methamphetamine				
All	0.2%	0.3%	0.5%	99.6%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.3%	99.6%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.5%	0.7%	99.3%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.5%	0.5%	1.2%	98.7%

**Table B-4: Prevalence and recency of use of selected substances by grade  
White Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	10.5%	15.1%	25.2%	74.8%
	Grade 6	0.4%	0.8%	3.1%	96.9%
	Grade 7	4.2%	7.0%	19.5%	80.4%
	Grade 8	7.8%	16.4%	26.3%	73.7%
	Grade 9	8.5%	16.5%	26.6%	73.3%
	Grade 10	18.0%	24.5%	33.1%	66.8%
	Grade 11	21.9%	26.2%	37.8%	62.2%
	Grade 12	20.1%	24.0%	43.4%	56.7%
Alcohol	All	17.8%	25.5%	47.4%	52.6%
	Grade 6	0.7%	1.6%	20.4%	79.6%
	Grade 7	6.8%	9.6%	35.7%	64.3%
	Grade 8	17.8%	25.8%	45.4%	54.6%
	Grade 9	26.4%	40.5%	56.9%	43.1%
	Grade 10	21.6%	34.0%	61.8%	38.1%
	Grade 11	31.1%	41.1%	59.0%	41.0%
	Grade 12	31.5%	41.5%	69.2%	30.8%
Inhalants	All	1.5%	2.9%	11.7%	88.3%
	Grade 6	0.5%	0.8%	8.3%	91.7%
	Grade 7	2.9%	3.7%	9.5%	90.5%
	Grade 8	2.0%	7.8%	23.9%	76.2%
	Grade 9	1.4%	2.3%	14.8%	85.2%
	Grade 10	1.0%	2.4%	10.7%	89.3%
	Grade 11	1.6%	2.0%	7.6%	92.4%
	Grade 12	1.2%	1.7%	7.9%	92.2%
Any Illicit Drug	All	5.1%	8.2%	15.5%	84.5%
	Grade 6	0.2%	0.5%	0.7%	99.3%
	Grade 7	2.0%	3.9%	8.3%	91.7%
	Grade 8	5.3%	6.3%	11.4%	88.5%
	Grade 9	5.4%	8.8%	13.7%	86.2%
	Grade 10	6.0%	10.1%	19.6%	80.4%
	Grade 11	9.9%	15.4%	29.0%	71.0%
	Grade 12	10.2%	17.6%	35.5%	64.5%
Marijuana	All	4.9%	8.0%	15.2%	84.8%
	Grade 6	0.0%	0.3%	0.5%	99.5%
	Grade 7	2.0%	3.9%	8.3%	91.6%
	Grade 8	5.1%	6.1%	11.2%	88.7%
	Grade 9	5.0%	8.3%	13.2%	86.8%
	Grade 10	5.8%	10.0%	19.4%	80.6%
	Grade 11	9.3%	15.1%	27.7%	72.3%
	Grade 12	10.0%	17.4%	35.2%	64.8%

**Table B-4: Prevalence and recency of use of selected substances by grade  
White Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.4%	4.2%	9.3%	90.6%
Grade 6	0.0%	0.3%	0.5%	99.5%
Grade 7	1.3%	2.7%	5.4%	94.6%
Grade 8	4.1%	5.1%	9.6%	90.3%
Grade 9	2.4%	4.2%	7.4%	92.6%
Grade 10	2.8%	5.0%	9.5%	90.5%
Grade 11	3.4%	5.6%	16.7%	83.2%
Grade 12	4.2%	9.0%	22.0%	78.1%
Cocaine Or Crack				
All	0.2%	0.3%	1.1%	98.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.5%	1.0%	1.5%	98.4%
Grade 10	0.0%	0.3%	1.3%	98.7%
Grade 11	0.6%	0.6%	1.6%	98.4%
Grade 12	0.7%	0.7%	4.0%	96.0%
Cocaine				
All	0.2%	0.3%	1.1%	98.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.5%	0.8%	1.3%	98.7%
Grade 10	0.0%	0.3%	1.3%	98.7%
Grade 11	0.6%	0.6%	1.6%	98.4%
Grade 12	0.7%	0.7%	4.0%	96.0%
Crack				
All	0.0%	0.0%	0.0%	99.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.2%	0.5%	1.4%	98.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.3%	1.3%	98.8%
Grade 10	0.0%	0.7%	1.3%	98.7%
Grade 11	1.4%	2.5%	4.0%	96.0%
Grade 12	0.2%	0.9%	4.2%	95.8%

**Table B-4: Prevalence and recency of use of selected substances by grade**  
**White Students**  
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.1%	0.3%	99.6%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.4%	99.6%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.3%	0.3%	0.8%	99.2%
	Grade 10	0.2%	0.4%	0.4%	99.6%
	Grade 11	0.6%	0.6%	1.3%	98.7%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.2%	0.5%	1.2%	98.9%
	Grade 6	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.0%	1.5%	1.7%	98.3%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.3%	0.3%	0.6%	99.5%
	Grade 10	0.4%	0.6%	1.0%	99.0%
	Grade 11	0.6%	0.8%	5.2%	94.8%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy	All	0.3%	0.5%	0.9%	99.2%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.4%	0.4%	1.5%	98.5%
	Grade 10	0.0%	0.6%	0.8%	99.2%
	Grade 11	0.7%	1.4%	2.9%	97.1%
	Grade 12	0.5%	1.0%	1.0%	99.1%
Heroin	All	0.0%	0.0%	0.4%	99.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.7%	99.3%
	Grade 11	0.3%	0.3%	0.3%	99.7%
	Grade 12	0.0%	0.0%	2.6%	97.4%

**Table B-4: Prevalence and recency of use of selected substances by grade  
White Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.9%	1.8%	5.0%	95.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.5%	0.5%	2.9%	97.1%
Grade 8	1.0%	1.0%	1.6%	98.4%
Grade 9	0.2%	1.1%	5.0%	95.1%
Grade 10	0.7%	2.5%	8.9%	91.1%
Grade 11	1.2%	3.1%	7.5%	92.5%
Grade 12	3.3%	5.7%	13.0%	87.0%
Methamphetamine				
All	0.1%	0.1%	0.3%	99.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.5%	0.5%	0.9%	99.1%

**Table B-5: Prevalence and recency of use of selected substances by grade  
African/American Students**

	Past Month	School Year	Ever Used	Never Used
Tobacco				
All	4.9%	7.0%	19.5%	80.6%
Grade 6	0.0%	0.0%	7.7%	92.3%
Grade 7	0.0%	0.0%	18.5%	81.5%
Grade 8	0.0%	0.0%	29.9%	70.1%
Grade 9	0.0%	9.8%	29.9%	70.1%
Grade 10	13.2%	13.2%	18.1%	81.9%
Grade 11	8.0%	11.8%	14.8%	85.2%
Grade 12	12.1%	12.1%	18.6%	81.4%
Alcohol				
All	15.6%	25.2%	39.6%	60.5%
Grade 6	7.7%	7.7%	7.7%	92.3%
Grade 7	9.2%	16.4%	48.0%	52.0%
Grade 8	0.0%	14.9%	36.4%	63.5%
Grade 9	14.3%	29.9%	60.1%	39.9%
Grade 10	8.2%	26.4%	38.0%	62.0%
Grade 11	18.3%	24.4%	27.4%	72.6%
Grade 12	63.8%	69.4%	75.9%	24.1%
Inhalants				
All	3.6%	4.2%	8.4%	91.6%
Grade 6	7.7%	7.7%	7.7%	92.3%
Grade 7	7.2%	7.2%	7.2%	92.8%
Grade 8	0.0%	3.8%	18.2%	81.9%
Grade 9	5.5%	5.5%	13.1%	86.9%
Grade 10	4.9%	4.9%	4.9%	95.1%
Grade 11	1.9%	1.9%	6.0%	94.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Any Illicit Drug				
All	8.8%	12.8%	27.5%	72.5%
Grade 6	0.0%	0.0%	25.8%	74.2%
Grade 7	11.1%	11.1%	20.3%	79.7%
Grade 8	0.0%	14.4%	20.7%	79.3%
Grade 9	10.4%	20.2%	33.9%	66.2%
Grade 10	8.2%	13.1%	24.7%	75.3%
Grade 11	10.4%	10.4%	19.3%	80.6%
Grade 12	24.0%	24.0%	70.2%	29.7%
Marijuana				
All	7.7%	11.7%	24.0%	76.0%
Grade 6	0.0%	0.0%	15.5%	84.5%
Grade 7	3.9%	3.9%	3.9%	96.1%
Grade 8	0.0%	14.4%	20.7%	79.3%
Grade 9	10.4%	20.2%	33.9%	66.2%
Grade 10	8.2%	13.1%	24.7%	75.3%
Grade 11	10.4%	10.4%	19.3%	80.6%
Grade 12	24.0%	24.0%	70.2%	29.7%

**Table B-5: Prevalence and recency of use of selected substances by grade  
African/American Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.4%	7.9%	17.9%	82.2%
Grade 6	0.0%	0.0%	15.5%	84.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	14.4%	20.7%	79.3%
Grade 9	0.0%	5.5%	13.1%	86.9%
Grade 10	0.0%	4.9%	16.5%	83.5%
Grade 11	8.6%	8.6%	11.5%	88.5%
Grade 12	24.0%	24.0%	70.2%	29.7%
Cocaine Or Crack				
All	1.6%	1.6%	2.7%	97.4%
Grade 6	0.0%	0.0%	10.3%	89.7%
Grade 7	7.2%	7.2%	7.2%	92.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.9%	1.9%	1.9%	98.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	1.6%	1.6%	2.7%	97.3%
Grade 6	0.0%	0.0%	10.3%	89.7%
Grade 7	7.2%	7.2%	7.2%	92.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.9%	1.9%	1.9%	98.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Crack				
All	0.0%	0.0%	0.0%	100.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.0%	0.0%	0.6%	99.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	3.9%	96.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and recency of use of selected substances by grade  
African/American Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.0%	0.0%	0.0%	100.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.0%	0.0%	0.0%	100.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy	All	1.3%	1.3%	3.7%	96.3%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	9.9%	90.1%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	6.0%	6.0%	6.0%	94.0%
	Grade 10	4.9%	4.9%	4.9%	95.1%
	Grade 11	0.0%	0.0%	3.8%	96.2%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Heroin	All	0.0%	0.0%	0.0%	100.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and recency of use of selected substances by grade  
African/American Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.0%	1.0%	4.3%	95.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	3.9%	3.9%	3.9%	96.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	21.1%	78.9%
Grade 10	3.3%	3.3%	3.3%	96.7%
Grade 11	0.0%	0.0%	3.8%	96.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.0%	0.0%	0.0%	100.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-6: Prevalence and recency of use of selected substances by grade  
Mexican/American Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	14.2%	17.8%	32.9%	67.1%
	Grade 6	0.8%	1.4%	5.9%	94.1%
	Grade 7	4.3%	6.7%	20.1%	79.9%
	Grade 8	7.5%	9.3%	25.7%	74.3%
	Grade 9	10.3%	15.4%	27.0%	73.1%
	Grade 10	25.9%	29.8%	45.5%	54.4%
	Grade 11	24.3%	27.0%	46.5%	53.5%
	Grade 12	25.8%	34.2%	58.0%	41.9%
Alcohol	All	26.2%	33.1%	57.4%	42.5%
	Grade 6	5.6%	7.0%	19.2%	80.9%
	Grade 7	13.5%	18.5%	45.7%	54.3%
	Grade 8	15.9%	24.4%	50.0%	50.0%
	Grade 9	21.4%	25.5%	51.3%	48.7%
	Grade 10	34.6%	45.3%	75.0%	25.0%
	Grade 11	49.7%	58.8%	81.2%	18.8%
	Grade 12	41.7%	50.5%	73.1%	26.9%
Inhalants	All	6.1%	7.1%	16.4%	83.6%
	Grade 6	1.7%	2.7%	6.3%	93.7%
	Grade 7	8.9%	10.1%	20.0%	80.0%
	Grade 8	6.6%	7.9%	22.9%	77.1%
	Grade 9	5.5%	6.8%	13.9%	86.0%
	Grade 10	1.6%	2.8%	9.4%	90.6%
	Grade 11	9.7%	9.8%	23.8%	76.1%
	Grade 12	7.3%	7.6%	14.1%	85.8%
Any Illicit Drug	All	12.2%	16.0%	29.5%	70.5%
	Grade 6	1.4%	1.4%	2.8%	97.2%
	Grade 7	6.2%	7.1%	13.6%	86.4%
	Grade 8	9.3%	13.6%	19.7%	80.2%
	Grade 9	6.0%	10.0%	19.8%	80.1%
	Grade 10	19.5%	25.3%	43.4%	56.6%
	Grade 11	21.4%	26.1%	58.6%	41.4%
	Grade 12	21.1%	27.5%	45.4%	54.6%
Marijuana	All	11.2%	15.0%	27.9%	72.1%
	Grade 6	1.0%	1.0%	1.8%	98.2%
	Grade 7	5.5%	6.4%	12.9%	87.1%
	Grade 8	8.0%	12.4%	18.6%	81.5%
	Grade 9	5.9%	9.7%	19.6%	80.4%
	Grade 10	18.7%	24.9%	41.8%	58.2%
	Grade 11	20.2%	25.0%	54.4%	45.5%
	Grade 12	18.1%	24.2%	42.9%	57.1%

**Table B-6: Prevalence and recency of use of selected substances by grade  
Mexican/American Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	6.4%	8.2%	16.6%	83.3%
Grade 6	0.6%	0.6%	1.0%	99.0%
Grade 7	2.5%	2.9%	7.7%	92.3%
Grade 8	2.9%	3.1%	6.9%	93.1%
Grade 9	2.8%	6.2%	14.3%	85.7%
Grade 10	12.4%	14.4%	29.3%	70.7%
Grade 11	13.3%	15.8%	29.0%	71.0%
Grade 12	10.0%	13.9%	26.2%	73.8%
Cocaine Or Crack				
All	0.7%	1.3%	2.8%	97.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.4%	1.3%	98.7%
Grade 8	1.0%	1.8%	2.7%	97.4%
Grade 9	0.4%	0.6%	1.4%	98.6%
Grade 10	0.5%	1.4%	5.1%	94.9%
Grade 11	2.1%	2.9%	4.2%	95.8%
Grade 12	0.7%	1.9%	4.9%	95.1%
Cocaine				
All	0.6%	1.0%	2.5%	97.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.2%	0.9%	99.1%
Grade 8	0.4%	0.4%	1.5%	98.5%
Grade 9	0.4%	0.6%	1.4%	98.6%
Grade 10	0.5%	1.2%	4.9%	95.1%
Grade 11	2.1%	2.9%	4.1%	95.9%
Grade 12	0.7%	1.9%	4.9%	95.1%
Crack				
All	0.1%	0.3%	0.4%	99.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.6%	1.6%	1.6%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.2%	0.4%	99.6%
Hallucinogens				
All	0.4%	0.7%	1.2%	98.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.4%	0.8%	1.2%	98.8%
Grade 9	0.2%	0.4%	0.8%	99.3%
Grade 10	0.9%	1.6%	2.1%	97.9%
Grade 11	0.6%	0.8%	1.1%	99.0%
Grade 12	0.4%	1.4%	3.1%	96.9%

**Table B-6: Prevalence and recency of use of selected substances by grade  
Mexican/American Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.6%	0.9%	99.1%
	Grade 6	0.0%	0.0%	0.6%	99.4%
	Grade 7	0.0%	0.2%	0.5%	99.5%
	Grade 8	1.0%	1.6%	1.6%	98.5%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	0.0%	0.0%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.3%	99.7%
	Grade 12	2.7%	2.7%	2.9%	97.1%
Steroids	All	0.4%	0.5%	1.3%	98.7%
	Grade 6	0.4%	0.4%	0.4%	99.6%
	Grade 7	0.3%	0.6%	1.0%	98.9%
	Grade 8	0.3%	0.3%	1.1%	98.8%
	Grade 9	0.0%	0.0%	2.6%	97.4%
	Grade 10	1.9%	1.9%	2.3%	97.8%
	Grade 11	0.2%	0.2%	0.7%	99.4%
	Grade 12	0.0%	0.0%	0.2%	99.8%
Ecstasy	All	0.5%	0.6%	1.3%	98.8%
	Grade 6	0.4%	0.4%	0.4%	99.6%
	Grade 7	0.2%	0.2%	0.6%	99.4%
	Grade 8	1.5%	1.9%	1.9%	98.1%
	Grade 9	0.2%	0.2%	0.4%	99.6%
	Grade 10	0.4%	0.4%	2.6%	97.4%
	Grade 11	0.5%	0.5%	1.1%	98.8%
	Grade 12	0.3%	0.3%	1.4%	98.6%
Heroin	All	0.1%	0.1%	0.2%	99.8%
	Grade 6	0.4%	0.4%	0.8%	99.2%
	Grade 7	0.2%	0.2%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.2%	0.2%	0.4%	99.7%
	Grade 10	0.2%	0.2%	0.4%	99.6%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-6: Prevalence and recency of use of selected substances by grade  
Mexican/American Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.2%	3.6%	9.5%	90.6%
Grade 6	0.4%	0.4%	0.4%	99.6%
Grade 7	2.5%	2.9%	4.8%	95.3%
Grade 8	2.6%	6.8%	10.9%	89.2%
Grade 9	1.5%	1.7%	4.9%	95.2%
Grade 10	3.8%	7.0%	12.1%	87.9%
Grade 11	0.9%	1.5%	19.2%	80.8%
Grade 12	3.5%	4.3%	13.4%	86.6%
Methamphetamine				
All	0.8%	0.9%	1.1%	99.0%
Grade 6	0.4%	0.4%	0.4%	99.6%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	0.3%	0.5%	0.7%	99.2%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.2%	0.6%	99.4%
Grade 11	3.9%	3.9%	3.9%	96.1%
Grade 12	0.0%	0.0%	0.3%	99.7%

**Table B-7: Prevalence and recency of use of selected substances by grade  
Students Reporting A Grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	5.5%	8.5%	20.9%	79.1%
	Grade 6	0.3%	0.3%	3.2%	96.8%
	Grade 7	3.4%	5.9%	17.9%	82.1%
	Grade 8	1.4%	6.3%	22.0%	78.1%
	Grade 9	1.9%	3.8%	16.9%	83.2%
	Grade 10	10.6%	16.7%	26.0%	74.1%
	Grade 11	10.2%	12.7%	24.1%	75.8%
	Grade 12	12.5%	16.2%	41.8%	58.2%
Alcohol	All	14.1%	23.1%	45.0%	55.1%
	Grade 6	1.5%	1.6%	18.1%	81.8%
	Grade 7	7.8%	11.4%	37.5%	62.5%
	Grade 8	6.0%	16.8%	39.1%	60.9%
	Grade 9	13.1%	26.2%	44.5%	55.5%
	Grade 10	20.1%	30.5%	55.4%	44.6%
	Grade 11	25.5%	39.0%	55.4%	44.6%
	Grade 12	26.4%	37.2%	69.3%	30.6%
Inhalants	All	1.2%	2.0%	9.4%	90.6%
	Grade 6	0.8%	1.4%	11.6%	88.4%
	Grade 7	2.5%	2.9%	8.6%	91.5%
	Grade 8	0.2%	3.1%	21.7%	78.3%
	Grade 9	0.8%	1.0%	7.9%	92.1%
	Grade 10	0.7%	1.6%	6.0%	94.0%
	Grade 11	0.5%	1.0%	3.6%	96.4%
	Grade 12	3.7%	4.3%	7.4%	92.6%
Any Illicit Drug	All	4.6%	7.6%	15.6%	84.4%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	2.6%	4.3%	7.8%	92.2%
	Grade 8	4.0%	5.4%	12.2%	87.8%
	Grade 9	2.5%	6.5%	8.9%	91.0%
	Grade 10	4.2%	6.0%	19.5%	80.6%
	Grade 11	10.8%	15.0%	27.9%	72.1%
	Grade 12	9.9%	18.0%	37.6%	62.4%
Marijuana	All	4.4%	7.5%	14.9%	85.2%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	1.5%	3.8%	7.3%	92.6%
	Grade 8	4.0%	5.4%	12.2%	87.8%
	Grade 9	2.4%	6.3%	8.5%	91.6%
	Grade 10	3.9%	5.9%	19.4%	80.6%
	Grade 11	10.1%	14.3%	22.7%	77.3%
	Grade 12	10.0%	18.1%	37.8%	62.2%

**Table B-7: Prevalence and recency of use of selected substances by grade  
Students Reporting A Grades  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.2%	5.3%	10.0%	89.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	1.1%	2.8%	2.8%	97.2%
Grade 8	2.6%	3.8%	9.7%	90.4%
Grade 9	0.9%	4.3%	6.2%	93.8%
Grade 10	3.5%	4.5%	12.5%	87.5%
Grade 11	7.6%	9.6%	12.7%	87.3%
Grade 12	8.0%	13.7%	29.5%	70.5%
Cocaine Or Crack				
All	0.2%	0.3%	0.6%	99.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.5%	0.5%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.2%	0.6%	0.9%	99.1%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.3%	0.6%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.6%	99.4%
Cocaine				
All	0.2%	0.3%	0.6%	99.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.5%	0.5%	1.5%	98.5%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.2%	0.4%	0.7%	99.4%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.3%	0.6%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.6%	99.4%
Crack				
All	0.0%	0.0%	0.0%	100.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.1%	0.2%	0.5%	99.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.4%	0.9%	1.4%	98.6%
Grade 12	0.0%	0.6%	0.8%	99.2%

**Table B-7: Prevalence and recency of use of selected substances by grade  
Students Reporting A Grades  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.1%	0.2%	99.8%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.5%	0.5%	0.9%	99.1%
	Grade 8	0.2%	0.2%	0.2%	99.8%
	Grade 9	0.3%	0.3%	0.3%	99.7%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.5%	99.5%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.1%	0.1%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.0%	0.0%	1.0%	99.0%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.3%	0.3%	0.3%	99.7%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.7%	0.9%	0.9%	99.1%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy	All	0.2%	0.2%	0.5%	99.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.6%	99.4%
	Grade 8	0.2%	0.2%	0.7%	99.3%
	Grade 9	0.4%	0.4%	0.7%	99.3%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.5%	0.7%	1.1%	98.9%
	Grade 12	0.3%	0.3%	0.5%	99.4%
Heroin	All	0.0%	0.0%	0.0%	100.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-7: Prevalence and recency of use of selected substances by grade  
Students Reporting A Grades  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.4%	1.1%	4.8%	95.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.6%	0.6%	4.5%	95.5%
Grade 8	0.7%	0.9%	1.6%	98.4%
Grade 9	0.2%	0.6%	1.8%	98.2%
Grade 10	0.2%	0.7%	6.7%	93.2%
Grade 11	0.9%	2.8%	12.8%	87.2%
Grade 12	0.3%	2.4%	7.7%	92.3%
Methamphetamine				
All	0.0%	0.0%	0.1%	99.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%

**Table B-8: Prevalence and recency of use of selected substances by grade  
Students Reporting Grades Lower Than an A**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	14.6%	19.4%	32.9%	67.0%
	Grade 6	0.3%	0.4%	2.9%	97.1%
	Grade 7	4.2%	7.0%	21.4%	78.6%
	Grade 8	10.0%	17.0%	31.6%	68.4%
	Grade 9	13.8%	24.8%	37.9%	62.1%
	Grade 10	27.7%	31.7%	47.4%	52.6%
	Grade 11	28.0%	31.9%	47.1%	52.9%
	Grade 12	25.4%	31.7%	53.2%	46.8%
Alcohol	All	25.7%	31.2%	55.1%	44.8%
	Grade 6	2.3%	2.8%	17.5%	82.6%
	Grade 7	10.3%	14.3%	42.2%	57.7%
	Grade 8	28.4%	31.9%	52.8%	47.2%
	Grade 9	29.1%	37.9%	64.7%	35.2%
	Grade 10	33.7%	44.4%	75.8%	24.2%
	Grade 11	44.6%	50.1%	71.1%	28.8%
	Grade 12	41.0%	48.4%	74.2%	25.8%
Inhalants	All	4.9%	6.4%	15.9%	84.1%
	Grade 6	0.9%	0.9%	3.5%	96.5%
	Grade 7	7.6%	8.8%	15.3%	84.7%
	Grade 8	7.3%	12.6%	24.5%	75.5%
	Grade 9	6.2%	8.2%	21.7%	78.3%
	Grade 10	1.4%	2.8%	14.3%	85.6%
	Grade 11	8.5%	8.6%	22.0%	78.0%
	Grade 12	1.6%	2.0%	10.7%	89.3%
Any Illicit Drug	All	10.4%	14.2%	26.6%	73.4%
	Grade 6	0.5%	0.8%	2.8%	97.2%
	Grade 7	4.9%	5.9%	11.9%	88.1%
	Grade 8	9.5%	12.4%	17.8%	82.2%
	Grade 9	8.2%	14.9%	27.6%	72.4%
	Grade 10	17.4%	24.3%	40.1%	59.9%
	Grade 11	17.0%	21.1%	48.8%	51.3%
	Grade 12	19.2%	25.6%	47.0%	53.0%
Marijuana	All	9.7%	13.4%	25.6%	74.4%
	Grade 6	0.2%	0.5%	2.3%	97.7%
	Grade 7	4.0%	4.9%	10.1%	89.9%
	Grade 8	8.4%	11.4%	16.9%	83.2%
	Grade 9	7.8%	14.1%	27.3%	72.8%
	Grade 10	16.8%	23.8%	38.6%	61.4%
	Grade 11	16.1%	20.3%	48.1%	51.8%
	Grade 12	18.4%	24.7%	46.2%	53.8%

**Table B-8: Prevalence and recency of use of selected substances by grade**  
**Students Reporting Grades Lower Than an A**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.9%	7.1%	15.7%	84.4%
Grade 6	0.0%	0.3%	2.0%	97.9%
Grade 7	2.0%	2.5%	6.9%	93.1%
Grade 8	3.9%	5.8%	9.6%	90.4%
Grade 9	3.8%	8.6%	18.8%	81.3%
Grade 10	7.7%	10.2%	21.8%	78.2%
Grade 11	8.9%	11.3%	27.8%	72.2%
Grade 12	9.9%	13.8%	28.8%	71.3%
Cocaine Or Crack				
All	0.8%	1.2%	2.8%	97.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.8%	0.8%	1.0%	99.0%
Grade 8	0.5%	1.1%	1.7%	98.3%
Grade 9	0.4%	0.7%	1.9%	98.1%
Grade 10	0.4%	1.2%	4.5%	95.5%
Grade 11	1.8%	2.0%	3.7%	96.3%
Grade 12	1.8%	2.7%	7.9%	92.1%
Cocaine				
All	0.7%	1.0%	2.6%	97.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.6%	0.6%	0.8%	99.1%
Grade 8	0.3%	0.3%	1.0%	98.9%
Grade 9	0.4%	0.7%	1.9%	98.1%
Grade 10	0.4%	1.0%	4.3%	95.7%
Grade 11	1.8%	2.0%	3.6%	96.4%
Grade 12	1.8%	2.7%	7.9%	92.1%
Crack				
All	0.0%	0.1%	0.1%	99.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	1.0%	1.0%	99.1%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.2%	0.4%	99.7%
Hallucinogens				
All	0.4%	0.8%	1.7%	98.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.5%	0.7%	99.3%
Grade 9	0.1%	0.8%	1.6%	98.4%
Grade 10	0.6%	1.4%	2.1%	97.9%
Grade 11	0.9%	1.3%	1.7%	98.3%
Grade 12	0.5%	1.3%	5.7%	94.3%

**Table B-8: Prevalence and recency of use of selected substances by grade  
Students Reporting Grades Lower Than an A  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.2%	0.4%	99.5%
	Grade 6	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.0%	0.1%	0.3%	99.7%
	Grade 8	0.4%	0.7%	0.7%	99.3%
	Grade 9	0.0%	0.0%	0.6%	99.4%
	Grade 10	0.2%	0.4%	0.7%	99.3%
	Grade 11	0.3%	0.3%	0.5%	99.5%
	Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids	All	0.4%	0.7%	1.8%	98.2%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.2%	1.6%	1.6%	98.3%
	Grade 8	0.3%	0.3%	0.8%	99.2%
	Grade 9	0.0%	0.0%	2.5%	97.5%
	Grade 10	2.0%	2.2%	2.7%	97.3%
	Grade 11	0.1%	0.1%	4.1%	95.8%
	Grade 12	0.0%	0.0%	0.5%	99.5%
Ecstasy	All	0.5%	0.7%	1.5%	98.5%
	Grade 6	0.5%	0.5%	0.5%	99.5%
	Grade 7	0.1%	0.1%	0.9%	99.0%
	Grade 8	0.9%	1.2%	1.2%	98.8%
	Grade 9	0.7%	0.8%	1.5%	98.6%
	Grade 10	0.3%	0.8%	2.7%	97.2%
	Grade 11	0.7%	0.9%	2.6%	97.4%
	Grade 12	0.5%	1.0%	1.7%	98.4%
Heroin	All	0.1%	0.1%	0.5%	99.4%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.2%	0.2%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.1%	0.1%	0.2%	99.7%
	Grade 10	0.1%	0.1%	0.8%	99.2%
	Grade 11	0.3%	0.3%	0.3%	99.7%
	Grade 12	0.0%	0.0%	2.6%	97.4%

**Table B-8: Prevalence and recency of use of selected substances by grade  
Students Reporting Grades Lower Than an A  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.9%	2.9%	8.0%	91.9%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	1.0%	1.6%	2.9%	97.0%
Grade 8	3.2%	4.3%	7.0%	93.0%
Grade 9	1.4%	2.0%	7.9%	92.1%
Grade 10	3.8%	7.4%	16.2%	83.8%
Grade 11	1.1%	1.3%	10.9%	89.1%
Grade 12	3.4%	4.8%	15.0%	85.0%
Methamphetamine				
All	0.6%	0.7%	0.8%	99.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.3%	0.5%	0.7%	99.4%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.3%	0.5%	99.5%
Grade 11	3.1%	3.1%	3.1%	96.9%
Grade 12	0.2%	0.2%	0.7%	99.3%

**Table B-9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	9.6%	13.2%	22.4%	77.6%
	Grade 6	0.4%	1.0%	3.3%	96.7%
	Grade 7	3.6%	5.8%	13.3%	86.7%
	Grade 8	1.4%	7.5%	21.0%	79.0%
	Grade 9	11.1%	13.2%	20.3%	79.6%
	Grade 10	20.0%	25.9%	36.3%	63.7%
	Grade 11	17.1%	19.9%	29.4%	70.6%
	Grade 12	15.5%	22.4%	39.8%	60.2%
Alcohol	All	18.3%	25.4%	45.6%	54.4%
	Grade 6	1.8%	2.5%	19.4%	80.6%
	Grade 7	10.1%	14.3%	36.2%	63.9%
	Grade 8	14.9%	21.7%	38.2%	61.8%
	Grade 9	16.5%	25.9%	46.7%	53.3%
	Grade 10	28.5%	38.4%	63.5%	36.5%
	Grade 11	33.1%	41.9%	59.1%	40.9%
	Grade 12	27.7%	39.1%	63.0%	37.0%
Inhalants	All	3.3%	4.3%	10.6%	89.5%
	Grade 6	1.1%	1.4%	7.5%	92.6%
	Grade 7	5.5%	5.8%	12.6%	87.4%
	Grade 8	3.7%	7.7%	15.3%	84.7%
	Grade 9	2.2%	3.2%	12.0%	88.0%
	Grade 10	1.4%	2.3%	10.4%	89.6%
	Grade 11	4.4%	4.7%	6.5%	93.5%
	Grade 12	5.4%	5.9%	10.4%	89.6%
Any Illicit Drug	All	6.9%	9.6%	17.1%	82.9%
	Grade 6	0.6%	0.6%	1.5%	98.5%
	Grade 7	4.7%	5.9%	7.9%	92.1%
	Grade 8	3.2%	3.8%	6.4%	93.6%
	Grade 9	3.8%	7.3%	14.9%	85.0%
	Grade 10	14.7%	18.1%	29.0%	70.9%
	Grade 11	11.0%	13.6%	31.2%	68.8%
	Grade 12	12.2%	21.0%	32.7%	67.3%
Marijuana	All	6.2%	8.9%	16.1%	83.9%
	Grade 6	0.2%	0.2%	1.1%	98.9%
	Grade 7	4.1%	5.4%	7.5%	92.6%
	Grade 8	2.4%	2.8%	5.8%	94.2%
	Grade 9	3.7%	7.1%	14.6%	85.4%
	Grade 10	14.3%	17.9%	29.1%	70.9%
	Grade 11	10.1%	12.8%	27.8%	72.2%
	Grade 12	10.0%	18.4%	30.6%	69.5%

**Table B-9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.8%	5.4%	10.3%	89.7%
Grade 6	0.2%	0.2%	0.9%	99.0%
Grade 7	1.9%	2.7%	3.7%	96.2%
Grade 8	1.1%	1.3%	3.3%	96.7%
Grade 9	2.1%	4.7%	10.8%	89.2%
Grade 10	9.2%	10.5%	18.5%	81.5%
Grade 11	6.2%	7.3%	15.1%	84.8%
Grade 12	7.0%	12.5%	21.8%	78.2%
Cocaine Or Crack				
All	0.5%	0.7%	1.5%	98.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.8%	0.9%	1.2%	98.8%
Grade 9	0.0%	0.2%	0.9%	99.0%
Grade 10	0.4%	0.8%	3.7%	96.4%
Grade 11	1.1%	1.5%	2.0%	98.0%
Grade 12	1.1%	1.6%	2.7%	97.3%
Cocaine				
All	0.4%	0.6%	1.4%	98.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.1%	0.8%	99.2%
Grade 10	0.4%	0.8%	3.7%	96.4%
Grade 11	1.1%	1.5%	1.9%	98.1%
Grade 12	1.1%	1.6%	2.7%	97.3%
Crack				
All	0.1%	0.2%	0.2%	99.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.5%	0.8%	0.8%	99.3%
Grade 9	0.0%	0.2%	0.3%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.3%	0.6%	1.0%	99.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.3%	0.3%	0.8%	99.1%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.0%	0.1%	0.2%	99.7%
Grade 10	0.4%	1.0%	1.6%	98.5%
Grade 11	0.8%	1.5%	1.9%	98.0%
Grade 12	0.3%	0.9%	1.8%	98.2%

**Table B-9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.4%	0.4%	0.5%	99.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.3%	0.4%	0.6%	99.4%
	Grade 8	0.3%	0.3%	0.3%	99.7%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.1%	0.1%	0.4%	99.6%
	Grade 11	0.2%	0.2%	0.6%	99.4%
	Grade 12	1.9%	1.9%	1.9%	98.1%
Steroids	All	0.3%	0.4%	0.7%	99.3%
	Grade 6	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.0%	0.3%	0.8%	99.2%
	Grade 8	0.5%	0.5%	1.0%	99.0%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	1.3%	1.3%	1.6%	98.4%
	Grade 11	0.5%	0.6%	0.7%	99.3%
	Grade 12	0.0%	0.0%	0.5%	99.5%
Ecstasy	All	0.4%	0.5%	0.9%	99.2%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.4%	0.4%	0.4%	99.6%
	Grade 9	0.2%	0.2%	0.3%	99.7%
	Grade 10	0.2%	0.3%	2.1%	97.9%
	Grade 11	1.2%	1.3%	2.0%	98.0%
	Grade 12	0.5%	0.7%	0.9%	99.2%
Heroin	All	0.1%	0.1%	0.2%	99.8%
	Grade 6	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.2%	0.2%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.1%	0.1%	0.1%	99.9%
	Grade 10	0.1%	0.1%	0.3%	99.7%
	Grade 11	0.2%	0.2%	0.2%	99.8%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.1%	1.8%	5.1%	95.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	1.6%	1.7%	3.4%	96.5%
Grade 8	1.2%	1.2%	2.3%	97.7%
Grade 9	0.4%	0.5%	3.9%	96.1%
Grade 10	2.6%	4.7%	9.1%	90.8%
Grade 11	1.2%	1.6%	10.4%	89.6%
Grade 12	0.7%	3.2%	7.3%	92.8%
Methamphetamine				
All	0.2%	0.3%	0.4%	99.7%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.2%	0.5%	99.6%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.4%	99.6%

**Table B-10: Prevalence and recency of use of selected substances by grade  
Students Not Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	14.3%	18.9%	37.0%	63.0%
	Grade 6	0.8%	0.8%	4.1%	95.9%
	Grade 7	5.2%	7.8%	28.4%	71.6%
	Grade 8	13.0%	17.5%	32.2%	67.8%
	Grade 9	8.2%	21.4%	43.6%	56.4%
	Grade 10	20.4%	23.6%	41.2%	58.8%
	Grade 11	27.9%	32.7%	53.9%	46.1%
	Grade 12	28.9%	33.4%	61.6%	38.3%
Alcohol	All	24.8%	32.8%	59.1%	40.9%
	Grade 6	3.3%	4.5%	16.0%	83.9%
	Grade 7	10.1%	14.6%	47.4%	52.7%
	Grade 8	20.5%	29.7%	57.0%	43.0%
	Grade 9	31.6%	44.0%	69.7%	30.3%
	Grade 10	24.6%	37.1%	71.2%	28.8%
	Grade 11	45.2%	54.4%	76.0%	24.1%
	Grade 12	45.3%	53.0%	82.1%	18.0%
Inhalants	All	4.1%	5.6%	17.5%	82.5%
	Grade 6	0.9%	1.6%	6.6%	93.4%
	Grade 7	7.0%	8.6%	16.3%	83.6%
	Grade 8	4.8%	8.3%	29.5%	70.5%
	Grade 9	5.9%	7.5%	19.5%	80.5%
	Grade 10	2.4%	3.9%	11.1%	88.9%
	Grade 11	6.0%	6.2%	26.9%	73.2%
	Grade 12	1.0%	1.3%	8.7%	91.3%
Any Illicit Drug	All	10.8%	15.6%	29.8%	70.3%
	Grade 6	0.3%	0.8%	3.5%	96.5%
	Grade 7	5.2%	7.0%	16.7%	83.3%
	Grade 8	10.3%	15.9%	24.1%	75.9%
	Grade 9	8.7%	17.0%	25.5%	74.5%
	Grade 10	10.8%	17.0%	34.8%	65.1%
	Grade 11	21.3%	29.0%	56.6%	43.4%
	Grade 12	21.0%	24.8%	54.2%	45.8%
Marijuana	All	10.2%	15.1%	28.6%	71.4%
	Grade 6	0.3%	0.8%	2.1%	97.9%
	Grade 7	4.0%	5.9%	14.5%	85.6%
	Grade 8	9.8%	15.5%	23.3%	76.6%
	Grade 9	8.2%	16.0%	24.7%	75.3%
	Grade 10	10.4%	16.8%	33.0%	67.0%
	Grade 11	20.8%	29.1%	56.2%	43.9%
	Grade 12	20.6%	24.7%	54.2%	45.9%

**Table B-10: Prevalence and recency of use of selected substances by grade**  
**Students Not Living With 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.7%	7.4%	16.4%	83.6%
Grade 6	0.0%	0.5%	1.8%	98.2%
Grade 7	1.5%	2.3%	8.5%	91.4%
Grade 8	4.8%	7.2%	13.6%	86.4%
Grade 9	3.2%	9.5%	14.9%	85.2%
Grade 10	3.3%	6.5%	16.9%	83.2%
Grade 11	11.3%	15.2%	31.9%	68.1%
Grade 12	9.8%	12.3%	31.4%	68.5%
Cocaine Or Crack				
All	0.6%	1.0%	2.5%	97.5%
Grade 6	0.0%	0.0%	1.0%	99.0%
Grade 7	0.9%	1.1%	2.2%	97.9%
Grade 8	0.0%	0.6%	1.2%	98.8%
Grade 9	1.0%	1.5%	2.0%	98.0%
Grade 10	0.1%	0.7%	1.7%	98.2%
Grade 11	1.5%	1.8%	3.5%	96.5%
Grade 12	1.0%	1.4%	6.4%	93.6%
Cocaine				
All	0.6%	0.8%	2.2%	97.7%
Grade 6	0.0%	0.0%	1.1%	98.9%
Grade 7	0.9%	1.1%	2.0%	98.1%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	1.0%	1.5%	2.0%	98.0%
Grade 10	0.1%	0.5%	1.5%	98.4%
Grade 11	1.5%	1.8%	3.5%	96.5%
Grade 12	1.0%	1.4%	6.4%	93.6%
Crack				
All	0.0%	0.2%	0.3%	99.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.6%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.2%	0.4%	99.6%
Hallucinogens				
All	0.3%	0.7%	1.8%	98.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.3%	0.6%	0.8%	99.3%
Grade 9	0.2%	0.9%	2.2%	97.9%
Grade 10	0.3%	1.0%	1.8%	98.2%
Grade 11	1.0%	1.3%	2.7%	97.3%
Grade 12	0.3%	1.3%	5.3%	94.7%

**Table B-10: Prevalence and recency of use of selected substances by grade**  
**Students Not Living With 2 Parents**  
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.2%	0.6%	99.3%
	Grade 6	0.0%	0.0%	0.4%	99.6%
	Grade 7	0.0%	0.0%	0.5%	99.5%
	Grade 8	0.6%	1.0%	1.0%	99.0%
	Grade 9	0.0%	0.0%	0.8%	99.2%
	Grade 10	0.0%	0.2%	0.8%	99.2%
	Grade 11	0.4%	0.4%	0.9%	99.1%
	Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids	All	0.2%	0.5%	1.7%	98.3%
	Grade 6	0.3%	0.3%	0.4%	99.6%
	Grade 7	0.3%	1.9%	1.9%	98.1%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.0%	0.0%	3.4%	96.6%
	Grade 10	0.5%	0.7%	1.1%	98.9%
	Grade 11	0.2%	0.2%	5.6%	94.4%
	Grade 12	0.1%	0.1%	0.1%	99.9%
Ecstasy	All	0.5%	0.7%	1.6%	98.4%
	Grade 6	0.3%	0.3%	0.3%	99.7%
	Grade 7	0.2%	0.2%	1.7%	98.3%
	Grade 8	0.8%	1.1%	1.4%	98.6%
	Grade 9	1.0%	1.1%	2.4%	97.6%
	Grade 10	0.8%	1.2%	1.2%	98.8%
	Grade 11	0.0%	0.6%	3.0%	97.0%
	Grade 12	0.3%	0.5%	1.3%	98.7%
Heroin	All	0.0%	0.0%	0.5%	99.5%
	Grade 6	0.3%	0.3%	0.3%	99.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	0.0%	0.0%	0.7%	99.3%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	3.0%	97.0%

**Table B-10: Prevalence and recency of use of selected substances by grade**  
**Students Not Living With 2 Parents**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.1%	3.8%	10.5%	89.6%
Grade 6	0.3%	0.3%	0.3%	99.7%
Grade 7	1.4%	2.7%	5.5%	94.6%
Grade 8	3.1%	6.6%	9.2%	90.7%
Grade 9	1.3%	2.3%	8.4%	91.7%
Grade 10	1.3%	3.6%	15.8%	84.2%
Grade 11	0.9%	3.1%	15.0%	85.0%
Grade 12	5.9%	6.5%	20.6%	79.4%
Methamphetamine				
All	0.6%	0.6%	0.9%	99.1%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	4.2%	4.2%	4.6%	95.4%
Grade 12	0.3%	0.3%	0.8%	99.2%

**Table B-11: Prevalence and recency of use of selected substances by grade**  
**Students who would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	10.9%	14.9%	27.4%	72.7%
	Grade 6	0.5%	0.8%	3.6%	96.5%
	Grade 7	3.6%	5.0%	17.5%	82.6%
	Grade 8	7.9%	13.3%	24.7%	75.3%
	Grade 9	7.9%	14.4%	26.9%	73.1%
	Grade 10	18.6%	23.6%	38.4%	61.6%
	Grade 11	22.4%	25.9%	39.2%	60.8%
	Grade 12	19.3%	25.5%	47.4%	52.7%
Alcohol	All	18.9%	26.2%	49.8%	50.1%
	Grade 6	1.9%	2.9%	22.0%	78.1%
	Grade 7	9.0%	11.6%	35.6%	64.4%
	Grade 8	18.2%	25.3%	47.6%	52.4%
	Grade 9	19.9%	31.0%	54.6%	45.4%
	Grade 10	25.2%	36.6%	66.2%	33.9%
	Grade 11	31.3%	41.1%	62.2%	37.8%
	Grade 12	32.2%	41.5%	67.7%	32.3%
Inhalants	All	3.2%	4.3%	12.9%	87.1%
	Grade 6	1.0%	1.1%	6.3%	93.6%
	Grade 7	5.9%	6.9%	13.4%	86.7%
	Grade 8	3.6%	7.7%	20.4%	79.6%
	Grade 9	3.8%	4.5%	15.5%	84.4%
	Grade 10	1.4%	2.3%	10.7%	89.3%
	Grade 11	3.7%	4.0%	14.4%	85.6%
	Grade 12	2.5%	2.9%	8.2%	91.8%
Any Illicit Drug	All	7.7%	11.0%	20.5%	79.5%
	Grade 6	0.5%	0.7%	1.8%	98.2%
	Grade 7	3.3%	4.2%	9.8%	90.2%
	Grade 8	6.7%	9.3%	13.8%	86.2%
	Grade 9	4.5%	10.5%	18.2%	81.8%
	Grade 10	11.4%	14.4%	29.3%	70.7%
	Grade 11	14.7%	19.6%	37.7%	62.3%
	Grade 12	15.8%	21.7%	39.3%	60.6%
Marijuana	All	7.2%	10.5%	19.5%	80.6%
	Grade 6	0.3%	0.5%	1.4%	98.5%
	Grade 7	2.8%	3.8%	8.8%	91.2%
	Grade 8	6.3%	9.0%	13.3%	86.7%
	Grade 9	4.4%	10.0%	17.7%	82.2%
	Grade 10	11.1%	14.2%	28.4%	71.7%
	Grade 11	13.6%	18.7%	34.6%	65.3%
	Grade 12	14.4%	20.2%	37.9%	62.1%

**Table B-11: Prevalence and recency of use of selected substances by grade**  
**Students who would seek help from adults for substance abuse problems**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.0%	6.0%	11.7%	88.3%
Grade 6	0.2%	0.4%	1.1%	98.8%
Grade 7	0.9%	1.1%	4.4%	95.7%
Grade 8	3.1%	3.8%	7.6%	92.4%
Grade 9	2.2%	6.8%	12.8%	87.2%
Grade 10	5.7%	7.3%	17.0%	83.1%
Grade 11	8.6%	10.9%	18.7%	81.3%
Grade 12	9.4%	14.1%	24.3%	75.6%
Cocaine Or Crack				
All	0.3%	0.6%	1.4%	98.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.3%	0.9%	99.1%
Grade 8	0.3%	0.7%	1.0%	99.0%
Grade 9	0.2%	0.6%	0.9%	99.1%
Grade 10	0.2%	0.5%	1.7%	98.3%
Grade 11	1.1%	1.5%	2.2%	97.8%
Grade 12	0.4%	0.7%	4.1%	95.9%
Cocaine				
All	0.3%	0.5%	1.3%	98.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.3%	0.8%	99.3%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.2%	0.5%	0.8%	99.2%
Grade 10	0.2%	0.5%	1.7%	98.3%
Grade 11	1.1%	1.5%	2.1%	97.9%
Grade 12	0.4%	0.7%	4.1%	95.9%
Crack				
All	0.0%	0.1%	0.2%	99.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.6%	0.7%	99.3%
Grade 9	0.0%	0.1%	0.1%	99.8%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.1%	99.9%
Hallucinogens				
All	0.2%	0.4%	1.0%	98.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.5%	0.7%	99.3%
Grade 9	0.0%	0.2%	0.6%	99.4%
Grade 10	0.3%	1.0%	1.8%	98.2%
Grade 11	0.6%	0.9%	1.6%	98.3%
Grade 12	0.1%	0.3%	2.9%	97.1%

**Table B-11: Prevalence and recency of use of selected substances by grade**  
**Students who would seek help from adults for substance abuse problems**  
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.4%	0.5%	99.5%
	Grade 6	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.2%	0.3%	0.4%	99.6%
	Grade 8	0.3%	0.5%	0.5%	99.5%
	Grade 9	0.1%	0.1%	0.1%	99.9%
	Grade 10	0.0%	0.1%	0.6%	99.4%
	Grade 11	0.3%	0.3%	0.5%	99.5%
	Grade 12	1.4%	1.4%	1.5%	98.5%
Steroids	All	0.1%	0.3%	0.8%	99.2%
	Grade 6	0.1%	0.1%	0.4%	99.6%
	Grade 7	0.2%	1.2%	1.5%	98.5%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.1%	0.1%	1.6%	98.4%
	Grade 10	0.2%	0.2%	0.5%	99.5%
	Grade 11	0.3%	0.4%	0.6%	99.3%
	Grade 12	0.0%	0.0%	0.3%	99.7%
Ecstasy	All	0.3%	0.3%	0.7%	99.2%
	Grade 6	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.1%	0.1%	0.9%	99.1%
	Grade 8	0.5%	0.5%	0.7%	99.3%
	Grade 9	0.6%	0.6%	0.7%	99.2%
	Grade 10	0.0%	0.1%	0.4%	99.6%
	Grade 11	0.7%	0.8%	1.9%	98.2%
	Grade 12	0.3%	0.3%	0.7%	99.2%
Heroin	All	0.1%	0.1%	0.4%	99.7%
	Grade 6	0.1%	0.1%	0.2%	99.7%
	Grade 7	0.1%	0.1%	0.1%	99.9%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.1%	0.1%	0.1%	99.9%
	Grade 10	0.1%	0.1%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	1.7%	98.3%

**Table B-11: Prevalence and recency of use of selected substances by grade**  
**Students who would seek help from adults for substance abuse problems**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.2%	2.0%	7.1%	93.0%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	1.1%	1.7%	4.2%	95.9%
Grade 8	2.0%	3.9%	5.5%	94.5%
Grade 9	0.4%	0.7%	4.6%	95.3%
Grade 10	2.0%	3.1%	11.1%	88.9%
Grade 11	0.6%	1.6%	13.2%	86.8%
Grade 12	2.1%	2.8%	12.6%	87.4%
Methamphetamine				
All	0.4%	0.4%	0.5%	99.4%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.3%	0.4%	99.6%
Grade 11	2.0%	2.0%	2.0%	98.0%
Grade 12	0.3%	0.3%	0.6%	99.4%

**Table B-12: Prevalence and recency of use of selected substances by grade**  
**Students who would not seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	15.6%	20.4%	38.5%	61.5%
	Grade 6	2.0%	3.9%	12.7%	87.3%
	Grade 7	8.7%	17.0%	35.2%	64.8%
	Grade 8	6.0%	10.8%	36.9%	63.2%
	Grade 9	13.8%	20.2%	37.3%	62.7%
	Grade 10	24.1%	27.7%	36.6%	63.4%
	Grade 11	17.0%	20.5%	39.3%	60.8%
	Grade 12	30.7%	35.4%	59.7%	40.3%
Alcohol	All	33.9%	44.1%	65.4%	34.6%
	Grade 6	10.5%	12.4%	22.1%	78.0%
	Grade 7	13.6%	27.7%	67.7%	32.3%
	Grade 8	16.4%	29.9%	48.9%	51.1%
	Grade 9	40.5%	47.8%	59.0%	40.9%
	Grade 10	30.6%	42.6%	74.8%	25.2%
	Grade 11	61.6%	69.1%	78.9%	21.1%
	Grade 12	47.9%	59.9%	85.1%	14.9%
Inhalants	All	6.5%	8.3%	19.2%	80.8%
	Grade 6	3.1%	6.5%	28.1%	71.8%
	Grade 7	6.3%	6.8%	17.3%	82.7%
	Grade 8	7.0%	9.3%	34.6%	65.4%
	Grade 9	3.2%	7.4%	11.6%	88.3%
	Grade 10	4.3%	7.4%	13.4%	86.6%
	Grade 11	11.1%	11.1%	16.5%	83.5%
	Grade 12	7.6%	8.1%	15.9%	84.0%
Any Illicit Drug	All	12.6%	18.5%	35.2%	64.8%
	Grade 6	0.0%	0.0%	7.9%	92.1%
	Grade 7	14.2%	19.5%	22.9%	77.1%
	Grade 8	7.0%	14.4%	25.3%	74.7%
	Grade 9	13.6%	16.1%	26.3%	73.7%
	Grade 10	14.6%	26.2%	37.4%	62.5%
	Grade 11	17.1%	21.3%	56.6%	43.4%
	Grade 12	15.9%	24.0%	52.2%	47.8%
Marijuana	All	11.6%	17.3%	33.9%	66.0%
	Grade 6	0.0%	0.0%	3.7%	96.3%
	Grade 7	11.5%	16.3%	19.7%	80.3%
	Grade 8	6.1%	13.0%	23.9%	76.1%
	Grade 9	12.5%	14.8%	25.4%	74.7%
	Grade 10	13.7%	25.7%	37.4%	62.5%
	Grade 11	17.3%	21.6%	56.8%	43.3%
	Grade 12	14.8%	22.5%	52.2%	47.8%

**Table B-12: Prevalence and recency of use of selected substances by grade**  
**Students who would not seek help from adults for substance abuse problems**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.6%	7.6%	20.2%	79.7%
Grade 6	0.0%	0.0%	3.7%	96.3%
Grade 7	6.9%	11.6%	14.3%	85.7%
Grade 8	1.9%	7.3%	14.6%	85.3%
Grade 9	4.9%	5.8%	11.5%	88.6%
Grade 10	5.1%	10.5%	18.6%	81.4%
Grade 11	7.7%	9.9%	35.0%	65.0%
Grade 12	3.7%	5.4%	32.5%	67.6%
Cocaine Or Crack				
All	1.5%	1.8%	4.3%	95.7%
Grade 6	0.0%	0.0%	4.2%	95.8%
Grade 7	2.7%	2.7%	2.7%	97.3%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	1.5%	1.5%	4.7%	95.3%
Grade 10	0.9%	1.6%	7.7%	92.3%
Grade 11	2.8%	2.8%	5.2%	94.9%
Grade 12	2.2%	3.1%	4.3%	95.7%
Cocaine				
All	1.5%	1.8%	4.3%	95.7%
Grade 6	0.0%	0.0%	4.2%	95.8%
Grade 7	2.7%	2.7%	2.7%	97.3%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	1.5%	1.5%	4.7%	95.3%
Grade 10	0.9%	1.6%	7.7%	92.3%
Grade 11	2.8%	2.8%	5.2%	94.8%
Grade 12	2.2%	3.1%	4.3%	95.7%
Crack				
All	0.0%	0.1%	0.1%	99.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.4%	0.4%	99.6%
Hallucinogens				
All	0.7%	1.6%	2.6%	97.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	2.1%	97.9%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.8%	1.9%	3.1%	96.9%
Grade 10	0.9%	1.4%	1.4%	98.6%
Grade 11	2.0%	3.7%	5.0%	95.0%
Grade 12	0.5%	2.8%	4.4%	95.6%

**Table B-12: Prevalence and recency of use of selected substances by grade**  
**Students who would not seek help from adults for substance abuse problems**  
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.2%	0.8%	99.2%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	1.7%	98.3%
	Grade 8	0.9%	0.9%	0.9%	99.1%
	Grade 9	0.0%	0.0%	1.3%	98.7%
	Grade 10	0.5%	0.5%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.8%	99.2%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.3%	0.4%	2.3%	97.8%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.9%	0.9%	0.9%	99.1%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	1.0%	1.6%	2.1%	97.9%
	Grade 11	0.0%	0.0%	10.6%	89.4%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy	All	0.8%	1.5%	3.1%	97.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.9%	1.8%	1.8%	98.2%
	Grade 9	0.0%	0.3%	2.7%	97.4%
	Grade 10	2.7%	3.8%	8.9%	91.1%
	Grade 11	1.0%	2.4%	5.0%	95.1%
	Grade 12	0.6%	1.2%	1.6%	98.3%
Heroin	All	0.1%	0.1%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.7%	99.3%
	Grade 11	0.8%	0.8%	0.8%	99.2%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-12: Prevalence and recency of use of selected substances by grade**  
**Students who would not seek help from adults for substance abuse problems**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	3.3%	5.9%	9.8%	90.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	4.0%	5.1%	5.8%	94.3%
Grade 8	3.4%	4.8%	8.4%	91.5%
Grade 9	2.9%	4.4%	11.8%	88.2%
Grade 10	2.8%	8.9%	13.9%	86.1%
Grade 11	2.0%	3.9%	8.3%	91.7%
Grade 12	6.3%	11.2%	15.9%	84.0%
Methamphetamine				
All	0.1%	0.2%	0.5%	99.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.5%	1.0%	99.0%
Grade 11	0.3%	0.3%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.5%	99.5%

### 3 Margin Tables

GENDER		
q1	Frequency	Percent
Male	60,499	50.2%
Female	59,975	49.8%

Frequency Missing = 1101

GRADE		
q2	Frequency	Percent
Grade 6	18,734	15.4%
Grade 7	18,646	15.3%
Grade 8	17,957	14.8%
Grade 9	18,216	15.0%
Grade 10	16,693	13.7%
Grade 11	16,289	13.4%
Grade 12	15,040	12.4%

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	51,773	42.8%
Yes	69,104	57.2%

Frequency Missing = 698

AGE		
q4	Frequency	Percent
10 or below	64	0.1%
11	6,851	5.6%
12	14,943	12.3%
13	19,749	16.3%
14	18,070	14.9%
15	17,517	14.4%
16	16,795	13.8%
17	16,559	13.6%
18	8,864	7.3%
19 or older	2,026	1.7%

Frequency Missing = 137

ETHNICITY		
q5	Frequency	Percent
African Am.	6,677	5.7%
Asian Am.	1,927	1.6%
Mexican Am.	47,706	40.4%
Native Am.	748	0.6%
Other	2,279	1.9%
White	58,715	49.7%

Frequency Missing = 3523

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	44,371	41.2%
Mostly B's	51,459	47.8%
Mostly C's	10,038	9.3%
Mostly D's	1,405	1.3%
Mostly F's	405	0.4%

Frequency Missing = 13897

DO YOU HAVE A JOB		
q7	Frequency	Percent
No	83,175	77.1%
Yes	24,731	22.9%

Frequency Missing = 13670

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q8	Frequency	Percent
Do not know	29,069	27.0%
No	37,694	35.0%
Yes	40,882	38.0%

Frequency Missing = 13931

PARTICIPATE IN SCHOOL ATHLETICS (UIL, VARSITY, JR VARSITY)		
q9a	Frequency	Percent
No	28,559	27.5%
Yes	75,363	72.5%

Frequency Missing = 17654

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q9b	Frequency	Percent
No	66,927	68.5%
Yes	30,836	31.5%

Frequency Missing = 23813

PARTICIPATE IN SCHOOL CHOIR		
q9c	Frequency	Percent
No	86,602	91.5%
Yes	8,096	8.5%
Frequency Missing = 26877		

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q9h	Frequency	Percent
No	57,908	59.7%
Yes	39,166	40.3%
Frequency Missing = 24502		

PARTICIPATE IN DRILL TEAM/CHEER-LEADING		
q9d	Frequency	Percent
No	81,897	85.0%
Yes	14,434	15.0%
Frequency Missing = 25245		

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q9i	Frequency	Percent
No	69,575	72.3%
Yes	26,692	27.7%
Frequency Missing = 25308		

PARTICIPATE IN STUDENT GOVERNMENT/SCHOOL NEWS-PAPER/YEARBOOK		
q9e	Frequency	Percent
No	84,403	89.1%
Yes	10,322	10.9%
Frequency Missing = 26851		

DO YOU FEEL SAFE IN YOUR HOME		
q10a	Frequency	Percent
Very Safe	103,925	86.1%
Somewhat Safe	14,603	12.1%
Not Very Safe	1,154	1.0%
Not Safe At All	238	0.2%
Don't Know	800	0.7%
Frequency Missing = 856		

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES/COMPETITION GROUPS		
q9f	Frequency	Percent
No	55,433	56.2%
Yes	43,167	43.8%
Frequency Missing = 22976		

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q10b	Frequency	Percent
Very Safe	57,132	47.5%
Somewhat Safe	51,624	42.9%
Not Very Safe	6,470	5.4%
Not Safe At All	1,557	1.3%
Don't Know	3,433	2.9%
Frequency Missing = 1359		

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q9g	Frequency	Percent
No	69,448	71.9%
Yes	27,126	28.1%
Frequency Missing = 25002		

DO YOU FEEL SAFE AT SCHOOL		
q10c	Frequency	Percent
Very Safe	61,146	50.9%
Somewhat Safe	47,165	39.3%
Not Very Safe	5,941	4.9%
Not Safe At All	2,895	2.4%
Don't Know	2,983	2.5%
Frequency Missing = 1446		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q11a	Frequency	Percent
None	5,304	4.4%
A Few	27,925	23.2%
Some	27,019	22.5%
Most	43,878	36.5%
All	16,159	13.4%

Frequency Missing = 1291

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q11e	Frequency	Percent
None	75,262	62.6%
A Few	30,765	25.6%
Some	8,685	7.2%
Most	2,833	2.4%
All	2,735	2.3%

Frequency Missing = 1295

HOW MANY FRIENDS CARRY WEAPONS		
q11b	Frequency	Percent
None	67,047	56.3%
A Few	30,557	25.7%
Some	13,076	11.0%
Most	6,464	5.4%
All	1,949	1.6%

Frequency Missing = 2482

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q12	Frequency	Percent
No	43,657	45.9%
Yes	51,495	54.1%

Frequency Missing = 26424

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q11c	Frequency	Percent
None	3,326	2.8%
A Few	15,217	12.9%
Some	26,313	22.2%
Most	49,173	41.5%
All	24,379	20.6%

Frequency Missing = 3168

RECENT INHALANT USE - SPRAY PAINT		
q13a	Frequency	Percent
Never	116,972	97.0%
Heard/Used		
In Your Life-time	2,297	1.9%
Since School Began	267	0.2%
In the Past Month	1,108	0.9%

Frequency Missing = 932

HOW MANY FRIENDS BELONG TO A GANG		
q11d	Frequency	Percent
None	99,615	83.1%
A Few	14,249	11.9%
Some	4,152	3.5%
Most	748	0.6%
All	1,045	0.9%

Frequency Missing = 1766

RECENT INHALANT USE - WHITE-OUT, CORRECTION FLUID, MAGIC MARKERS		
q13b	Frequency	Percent
Never	113,772	94.4%
Heard/Used		
In Your Life-time	4,472	3.7%
Since School Began	542	0.4%
In the Past Month	1,744	1.4%

Frequency Missing = 1045

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

q13c	RECENT INHALANT USE - COMPUTER DUSTING SPRAYS	
	Frequency	Percent
Never	117,302	97.7%
Heard/Used		
In Your Life-time	1,570	1.3%
Since School Began	420	0.3%
In the Past Month	781	0.7%

Frequency Missing = 1503

q13f	RECENT INHALANT USE - TOLUENE, PAINT THINNER, OTHER SOLVENTS	
	Frequency	Percent
Never	118,863	98.7%
Heard/Used		
In Your Life-time	968	0.8%
Since School Began	310	0.3%
In the Past Month	318	0.3%

Frequency Missing = 1116

q13d	RECENT INHALANT USE - HELIUM, BUTANE, PROPANE, WHIPPETS, REFRIGERANTS/FREON	
	Frequency	Percent
Never	112,836	93.6%
Heard/Used		
In Your Life-time	5,454	4.5%
Since School Began	472	0.4%
In the Past Month	1,732	1.4%

Frequency Missing = 1082

q13g	RECENT INHALANT USE - GASOLINE, OCTANE BOOSTER, CARBURETOR CLEANER	
	Frequency	Percent
Never	117,904	98.0%
Heard/Used		
In Your Life-time	1,185	1.0%
Since School Began	500	0.4%
In the Past Month	777	0.6%

Frequency Missing = 1208

q13e	RECENT INHALANT USE - GLUE	
	Frequency	Percent
Never	118,674	98.6%
Heard/Used		
In Your Life-time	1,052	0.9%
Since School Began	135	0.1%
In the Past Month	481	0.4%

Frequency Missing = 1234

q13h	RECENT INHALANT USE - OTHER AEROSOLS/SPRAYS	
	Frequency	Percent
Never	118,450	98.0%
Heard/Used		
In Your Life-time	1,451	1.2%
Since School Began	390	0.3%
In the Past Month	606	0.5%

Frequency Missing = 678

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

RECENT CIGARETTE USE		
q14a	Frequency	Percent
Never	89,779	74.8%
Heard/Used		
In Your Life-time	15,615	13.0%
Since School Began	4,713	3.9%
In the Past Month	9,925	8.3%

Frequency Missing = 1544

RECENT WINE USE		
q14e	Frequency	Percent
Never	83,462	71.5%
Heard/Used		
In Your Life-time	17,892	15.3%
Since School Began	5,877	5.0%
In the Past Month	9,456	8.1%

Frequency Missing = 4888

RECENT SMOKE-LESS TOBACCO USE		
q14b	Frequency	Percent
Never	103,715	87.5%
Heard/Used		
In Your Life-time	4,504	3.8%
Since School Began	2,765	2.3%
In the Past Month	7,534	6.4%

Frequency Missing = 3058

RECENT LIQUOR USE		
q14f	Frequency	Percent
Never	78,883	65.9%
Heard/Used		
In Your Life-time	17,936	15.0%
Since School Began	7,233	6.0%
In the Past Month	15,691	13.1%

Frequency Missing = 1833

RECENT BEER USE		
q14c	Frequency	Percent
Never	67,548	56.8%
Heard/Used		
In Your Life-time	24,382	20.5%
Since School Began	8,092	6.8%
In the Past Month	18,939	15.9%

Frequency Missing = 2615

RECENT INHALANT USE		
q14g	Frequency	Percent
Never	114,601	95.2%
Heard/Used		
In Your Life-time	3,506	2.9%
Since School Began	991	0.8%
In the Past Month	1,296	1.1%

Frequency Missing = 1181

RECENT WINE COOLER USE		
q14d	Frequency	Percent
Never	82,908	69.4%
Heard/Used		
In Your Life-time	15,479	13.0%
Since School Began	6,385	5.3%
In the Past Month	14,652	12.3%

Frequency Missing = 2151

RECENT MARIJUANA USE		
q15a	Frequency	Percent
Never	93,841	78.5%
Heard/Used		
In Your Life-time	11,919	10.0%
Since School Began	4,295	3.6%
In the Past Month	9,439	7.9%

Frequency Missing = 2082

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT USE	COCAINE
q15b	Frequency	Percent
Never	117,237	98.2%
Heard/Used		
In Your Life- time	1,259	1.1%
Since School Began	243	0.2%
In the Past Month	614	0.5%
Frequency Missing = 2223		

	RECENT USE	STEROID
q15g	Frequency	Percent
Never	117,924	98.9%
Heard/Used		
In Your Life- time	819	0.7%
Since School Began	185	0.2%
In the Past Month	328	0.3%
Frequency Missing = 2319		

	RECENT USE	CRACK
q15c	Frequency	Percent
Never	118,677	99.8%
Heard/Used		
In Your Life- time	61	0.1%
Since School Began	118	0.1%
In the Past Month	52	0.0%
Frequency Missing = 2668		

	RECENT USE	ECSTASY
q15h	Frequency	Percent
Never	117,562	98.9%
Heard/Used		
In Your Life- time	693	0.6%
Since School Began	159	0.1%
In the Past Month	494	0.4%
Frequency Missing = 2667		

	RECENT CINOGEN USE	HALLU- CINOGEN USE
q15e	Frequency	Percent
Never	117,510	98.7%
Heard/Used		
In Your Life- time	836	0.7%
Since School Began	389	0.3%
In the Past Month	350	0.3%
Frequency Missing = 2490		

	RECENT USE	HEROIN
q15i	Frequency	Percent
Never	118,972	99.7%
Heard/Used		
In Your Life- time	298	0.2%
In the Past Month	85	0.1%
Frequency Missing = 2221		

	RECENT NOL USE	ROHYP- NOL USE
q15f	Frequency	Percent
Never	118,392	99.4%
Heard/Used		
In Your Life- time	291	0.2%
Since School Began	69	0.1%
In the Past Month	329	0.3%
Frequency Missing = 2494		

	RECENT PHETAMINE USE	METHAM- PHETAMINE USE
q15j	Frequency	Percent
Never	118,825	99.4%
Heard/Used		
In Your Life- time	171	0.1%
Since School Began	65	0.1%
In the Past Month	423	0.4%
Frequency Missing = 2092		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT THETIC JUANA USE	SYN- MARI- JUANA USE
q15k	Frequency	Percent
Never	110,453	92.7%
Heard/Used		
In Your Life- time	5,621	4.7%
Since School Began	1,304	1.1%
In the Past Month	1,768	1.5%
Frequency Missing = 2429		

	RECENT SCRIPTION USE - VALIUM ETC	PRE- DRUG USE
q16d	Frequency	Percent
Never	118,578	99.3%
Heard/Used		
In Your Life- time	302	0.3%
Since School Began	186	0.2%
In the Past Month	366	0.3%
Frequency Missing = 2143		

	RECENT SCRIPTION USE - CODEINE	PRE- DRUG USE
q16a	Frequency	Percent
Never	106,948	89.1%
Heard/Used		
In Your Life- time	3,893	3.2%
Since School Began	2,824	2.4%
In the Past Month	6,426	5.4%
Frequency Missing = 1484		

	RECENT SCRIPTION USE - XANAX ETC	PRE- DRUG USE
q16e	Frequency	Percent
Never	116,618	97.9%
Heard/Used		
In Your Life- time	685	0.6%
Since School Began	509	0.4%
In the Past Month	1,327	1.1%
Frequency Missing = 2436		

	RECENT SCRIPTION USE - OXYCONTIN ETC	PRE- DRUG USE
q16b	Frequency	Percent
Never	117,224	98.0%
Heard/Used		
In Your Life- time	785	0.7%
Since School Began	247	0.2%
In the Past Month	1,384	1.2%
Frequency Missing = 1936		

	TAKE DXM, TRIPLE CS, ETC. TO GET HIGH	
q17	Frequency	Percent
Never	111,236	95.9%
Heard/Used		
In Your Life- time	1,192	1.0%
Since School Began	1,397	1.2%
In the Past Month	2,192	1.9%
Frequency Missing = 5559		

	RECENT SCRIPTION USE - VICODIN ETC	PRE- DRUG USE
q16c	Frequency	Percent
Never	113,282	94.8%
Heard/Used		
In Your Life- time	1,311	1.1%
Since School Began	2,137	1.8%
In the Past Month	2,762	2.3%
Frequency Missing = 2083		

	TOBACCO USE IN PAST MONTH	
q18a	Frequency	Percent
Never	102,266	86.1%
Heard/Used		
1-2 times	7,403	6.2%
3-10 times	3,348	2.8%
11+ times	5,718	4.8%
Frequency Missing = 2840		

ALCOHOL USE IN PAST MONTH		
q18b	Frequency	Percent
Never	86,227	72.8%
Heard/Used		
1-2 times	19,774	16.7%
3-10 times	8,031	6.8%
11+ times	4,427	3.7%
Frequency Missing = 3116		

INHALANT USE IN PAST MONTH		
q18c	Frequency	Percent
Never	116,212	97.8%
Heard/Used		
1-2 times	1,610	1.4%
3-10 times	952	0.8%
11+ times	69	0.1%
Frequency Missing = 2732		

MARIJUANA USE IN PAST MONTH		
q18d	Frequency	Percent
Never	104,827	88.0%
Heard/Used		
1-2 times	7,295	6.1%
3-10 times	3,001	2.5%
11+ times	4,005	3.4%
Frequency Missing = 2447		

COCAINE USE IN PAST MONTH		
q18e	Frequency	Percent
Never	118,085	99.3%
Heard/Used		
1-2 times	504	0.4%
3-10 times	144	0.1%
11+ times	181	0.2%
Frequency Missing = 2662		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

CRACK USE IN PAST MONTH		
q18f	Frequency	Percent
Never	117,264	99.6%
Heard/Used		
1-2 times	164	0.1%
3-10 times	251	0.2%
11+ times	41	0.0%
Frequency Missing = 3855		

CLOSE FRIENDS USE TOBACCO		
q19a	Frequency	Percent
Never	68,031	57.8%
heard/None		
A few	28,338	24.1%
Some	13,154	11.2%
Most	6,723	5.7%
All	1,499	1.3%
Frequency Missing = 3831		

CLOSE FRIENDS USE ALCOHOL		
q19b	Frequency	Percent
Never	50,842	43.2%
heard/None		
A few	27,459	23.3%
Some	18,729	15.9%
Most	16,763	14.2%
All	3,978	3.4%
Frequency Missing = 3804		

CLOSE FRIENDS USE INHALANTS		
q19c	Frequency	Percent
Never	106,202	90.6%
heard/None		
A few	7,332	6.3%
Some	3,069	2.6%
Most	448	0.4%
All	164	0.1%
Frequency Missing = 4360		

q19d	CLOSE FRIENDS USE MARIJUANA	
	Frequency	Percent
Never heard/None	71,209	60.3%
A few	21,623	18.3%
Some	13,416	11.4%
Most	8,198	6.9%
All	3,664	3.1%

Frequency Missing = 3464

q20d	DIFFICULT TO GET MARIJUANA	
	Frequency	Percent
Never heard of	33,279	29.1%
Impossible	28,173	24.6%
Very difficult	8,549	7.5%
Somewhat diff	10,457	9.1%
Somewhat easy	13,590	11.9%
Very easy	20,414	17.8%

Frequency Missing = 7113

q20a	DIFFICULT TO GET TOBACCO	
	Frequency	Percent
Never heard of	29,224	25.5%
Impossible	22,863	20.0%
Very difficult	7,444	6.5%
Somewhat diff	10,305	9.0%
Somewhat easy	17,041	14.9%
Very easy	27,690	24.2%

Frequency Missing = 7009

q20e	DIFFICULT TO GET COCAINE	
	Frequency	Percent
Never heard of	42,906	37.4%
Impossible	38,344	33.4%
Very difficult	14,192	12.4%
Somewhat diff	8,910	7.8%
Somewhat easy	4,755	4.1%
Very easy	5,706	5.0%

Frequency Missing = 6763

q20b	DIFFICULT TO GET COMBINED ALCOHOL	
	Frequency	Percent
Never heard of	25,362	22.0%
Impossible	18,265	15.9%
Very difficult	6,874	6.0%
Somewhat diff	11,278	9.8%
Somewhat easy	22,879	19.9%
Very easy	30,388	26.4%

Frequency Missing = 6529

q20f	DIFFICULT TO GET CRACK	
	Frequency	Percent
Never heard of	43,838	38.3%
Impossible	38,888	34.0%
Very difficult	14,626	12.8%
Somewhat diff	8,031	7.0%
Somewhat easy	4,757	4.2%
Very easy	4,290	3.7%

Frequency Missing = 7146

q20c	DIFFICULT TO GET INHALANTS	
	Frequency	Percent
Never heard of	46,262	40.3%
Impossible	20,665	18.0%
Very difficult	6,565	5.7%
Somewhat diff	6,287	5.5%
Somewhat easy	11,104	9.7%
Very easy	23,921	20.8%

Frequency Missing = 6770

q20h	DIFFICULT TO GET STEROIDS	
	Frequency	Percent
Never heard of	45,953	40.0%
Impossible	37,738	32.8%
Very difficult	13,350	11.6%
Somewhat diff	8,063	7.0%
Somewhat easy	5,327	4.6%
Very easy	4,461	3.9%

Frequency Missing = 6683

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

DIFFICULT TO GET ECSTASY		
q20i	Frequency	Percent
Never heard of	55,017	48.0%
Impossible	32,665	28.5%
Very difficult	12,695	11.1%
Somewhat diff	6,415	5.6%
Somewhat easy	3,976	3.5%
Very easy	3,961	3.5%
Frequency Missing = 6846		

AGE WHEN FIRST USED TOBACCO		
q21a	Frequency	Percent
8 or younger	2,596	9.3%
9 years old	1,252	4.5%
10 years old	1,543	5.5%
11 years old	2,003	7.2%
12 years old	3,665	13.1%
13 years old	4,381	15.7%
14 years old	3,413	12.2%
15 years old	4,663	16.7%
16 years old	2,619	9.4%
17 years old	1,115	4.0%
18 or older	646	2.3%
Frequency Missing = 93680		

DIFFICULT TO GET HEROIN		
q20j	Frequency	Percent
Never heard of	51,242	44.5%
Impossible	39,237	34.1%
Very difficult	12,534	10.9%
Somewhat diff	5,731	5.0%
Somewhat easy	3,005	2.6%
Very easy	3,279	2.9%
Frequency Missing = 6548		

AGE WHEN FIRST USED ALCOHOL		
q21b	Frequency	Percent
8 or younger	6,753	12.1%
9 years old	2,134	3.8%
10 years old	3,584	6.4%
11 years old	2,952	5.3%
12 years old	6,264	11.3%
13 years old	8,780	15.8%
14 years old	8,296	14.9%
15 years old	8,026	14.4%
16 years old	5,740	10.3%
17 years old	2,325	4.2%
18 or older	766	1.4%
Frequency Missing = 65957		

DIFFICULT TO GET METHAM-PHETAMINE		
q20k	Frequency	Percent
Never heard of	52,788	45.9%
Impossible	37,249	32.4%
Very difficult	11,025	9.6%
Somewhat diff	6,454	5.6%
Somewhat easy	3,694	3.2%
Very easy	3,893	3.4%
Frequency Missing = 6473		

AGE WHEN FIRST USED INHALANTS		
q21c	Frequency	Percent
8 or younger	641	14.1%
9 years old	187	4.1%
10 years old	185	4.1%
11 years old	817	18.0%
12 years old	710	15.6%
13 years old	1,041	22.9%
14 years old	377	8.3%
15 years old	499	11.0%
16 years old	87	1.9%
Frequency Missing = 117032		

DIFFICULT TO GET SYNTHETIC MARIJUANA		
q20l	Frequency	Percent
Never heard of	48,647	42.2%
Impossible	30,186	26.2%
Very difficult	9,766	8.5%
Somewhat diff	7,542	6.5%
Somewhat easy	7,403	6.4%
Very easy	11,682	10.1%
Frequency Missing = 6349		

q21d	AGE WHEN FIRST USED MARIJUANA	
	Frequency	Percent
8 or younger	550	2.2%
9 years old	396	1.6%
10 years old	1,001	4.0%
11 years old	1,785	7.2%
12 years old	2,323	9.4%
13 years old	3,665	14.8%
14 years old	5,234	21.1%
15 years old	4,230	17.1%
16 years old	3,481	14.0%
17 years old	1,768	7.1%
18 or older	358	1.4%

Frequency Missing = 96784

q21h	AGE WHEN FIRST USED STEROIDS	
	Frequency	Percent
8 or younger	207	39.4%
9 years old	45	8.5%
10 years old	54	10.2%
12 years old	39	7.3%
13 years old	82	15.6%
14 years old	31	5.9%
15 years old	18	3.4%
17 years old	25	4.8%
18 or older	26	4.9%

Frequency Missing = 121050

q21e	AGE WHEN FIRST USED COCAINE	
	Frequency	Percent
10 years old	44	2.5%
11 years old	54	3.1%
12 years old	87	5.0%
13 years old	243	14.0%
14 years old	219	12.6%
15 years old	322	18.6%
16 years old	505	29.1%
17 years old	162	9.3%
18 or older	99	5.7%

Frequency Missing = 119841

q21i	AGE WHEN FIRST USED ECSTASY	
	Frequency	Percent
8 or younger	73	6.4%
9 years old	18	1.6%
10 years old	122	10.8%
11 years old	61	5.4%
12 years old	73	6.5%
13 years old	93	8.3%
14 years old	292	25.9%
15 years old	246	21.8%
16 years old	64	5.6%
17 years old	68	6.0%
18 or older	19	1.6%

Frequency Missing = 120446

q21f	AGE WHEN FIRST USED CRACK	
	Frequency	Percent
8 or younger	30	9.9%
12 years old	76	25.0%
13 years old	52	17.2%
15 years old	115	38.0%
16 years old	30	9.9%

Frequency Missing = 121272

q21j	AGE WHEN FIRST USED HEROIN	
	Frequency	Percent
8 or younger	13	3.4%
9 years old	20	5.3%
10 years old	30	8.1%
12 years old	37	9.9%
13 years old	14	3.8%
14 years old	31	8.2%
15 years old	32	8.5%
16 years old	197	52.9%

Frequency Missing = 121203

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	AGE WHEN FIRST USED METHAMPHETAMINE	
q21k	Frequency	Percent
8 or younger	72	11.6%
9 years old	40	6.5%
11 years old	16	2.6%
12 years old	14	2.3%
13 years old	14	2.3%
14 years old	53	8.6%
15 years old	92	14.9%
16 years old	16	2.6%
17 years old	301	48.6%

Frequency Missing = 120957

	HOW OFTEN NORMALLY USE ALCOHOL	
q22b	Frequency	Percent
Every day	589	0.5%
Several times/wk	3,144	2.7%
Several times/mo	8,601	7.3%
About once/- month	13,942	11.9%
About on- ce/year	11,333	9.7%
< once/year	11,531	9.8%
Never used	68,295	58.2%

Frequency Missing = 4140

	AGE WHEN FIRST USED SYNTHETIC MARIJUANA	
q21l	Frequency	Percent
8 or younger	97	1.1%
9 years old	18	0.2%
10 years old	127	1.4%
11 years old	257	2.8%
12 years old	559	6.1%
13 years old	1,600	17.4%
14 years old	2,538	27.7%
15 years old	1,673	18.2%
16 years old	1,898	20.7%
17 years old	357	3.9%
18 or older	55	0.6%

Frequency Missing = 112396

	HOW OFTEN NORMALLY USE INHALANTS	
q22c	Frequency	Percent
Every day	73	0.1%
Several times/wk	232	0.2%
Several times/mo	225	0.2%
About once/- month	627	0.5%
About on- ce/year	1,114	0.9%
< once/year	1,473	1.3%
Never used	113,757	96.8%

Frequency Missing = 4074

	HOW OFTEN NORMALLY USE TOBACCO	
q22a	Frequency	Percent
Every day	4,583	3.9%
Several times/wk	2,650	2.3%
Several times/mo	2,532	2.2%
About once/- month	4,422	3.8%
About on- ce/year	3,459	3.0%
< once/year	7,162	6.1%
Never used	92,378	78.8%

Frequency Missing = 4389

	HOW OFTEN NORMALLY USE MARIJUANA	
q22d	Frequency	Percent
Every day	1,953	1.7%
Several times/wk	2,871	2.4%
Several times/mo	3,105	2.6%
About once/- month	4,185	3.6%
About on- ce/year	4,128	3.5%
< once/year	5,958	5.1%
Never used	95,080	81.1%

Frequency Missing = 4294

q22e	HOW OFTEN NORMALLY USE COCAINE	
	Frequency	Percent
Every day	83	0.1%
Several times/wk	66	0.1%
Several times/mo	127	0.1%
About once/- month	130	0.1%
About on- ce/year	302	0.3%
< once/year	639	0.5%
Never used	116,094	98.9%

Frequency Missing = 4133

q22i	HOW OFTEN NORMALLY USE ECSTASY	
	Frequency	Percent
Every day	19	0.0%
Several times/wk	14	0.0%
About once/- month	299	0.3%
About on- ce/year	151	0.1%
< once/year	272	0.2%
Never used	116,688	99.4%

Frequency Missing = 4132

q22f	HOW OFTEN NORMALLY USE CRACK	
	Frequency	Percent
Every day	7	0.0%
Several times/wk	70	0.1%
About once/- month	6	0.0%
About on- ce/year	51	0.0%
< once/year	71	0.1%
Never used	116,914	99.8%

Frequency Missing = 4456

q22j	HOW OFTEN NORMALLY USE HEROIN	
	Frequency	Percent
About once/- ce/year	29	0.0%
< once/year	34	0.0%
Never used	117,121	99.9%

Frequency Missing = 4391

q22h	HOW OFTEN NORMALLY USE STEROIDS	
	Frequency	Percent
Every day	158	0.1%
Several times/wk	12	0.0%
Several times/mo	60	0.1%
About once/- month	20	0.0%
About on- ce/year	13	0.0%
< once/year	89	0.1%
Never used	117,306	99.7%

Frequency Missing = 3917

q22k	HOW OFTEN NORMALLY USE METHAMPHETAMINE	
	Frequency	Percent
Several times/wk	10	0.0%
Several times/mo	74	0.1%
About once/- month	253	0.2%
About on- ce/year	67	0.1%
< once/year	110	0.1%
Never used	117,057	99.6%

Frequency Missing = 4004

HOW OFTEN NORMALLY USE SYNTHETIC MARIJUANA		
q22l	Frequency	Percent
Every day	323	0.3%
Several times/wk	546	0.5%
Several times/mo	261	0.2%
About once/-month	1,309	1.1%
About once/year	1,341	1.1%
< once/year	3,494	3.0%
Never used	110,256	93.8%

Frequency Missing = 4046

AMOUNT OF BEER AT ONE TIME		
q23a	Frequency	Percent
Never drink this	66,791	57.3%
12+ drinks	6,626	5.7%
9-11 drinks	3,866	3.3%
5-8 drinks	5,826	5.0%
3-4 drinks	6,970	6.0%
2 drinks	6,454	5.5%
1 drink	7,457	6.4%
< 1 drink	12,568	10.8%

Frequency Missing = 5018

AMOUNT OF WINE COOLERS AT ONE TIME		
q23b	Frequency	Percent
Never drink this	79,604	68.7%
12+ drinks	2,709	2.3%
9-11 drinks	2,058	1.8%
5-8 drinks	4,898	4.2%
3-4 drinks	6,708	5.8%
2 drinks	6,308	5.4%
1 drink	6,442	5.6%
< 1 drink	7,202	6.2%

Frequency Missing = 5647

AMOUNT OF WINE AT ONE TIME		
q23c	Frequency	Percent
Never drink this	81,764	71.2%
12+ drinks	1,472	1.3%
9-11 drinks	721	0.6%
5-8 drinks	1,786	1.6%
3-4 drinks	4,089	3.6%
2 drinks	3,794	3.3%
1 drink	8,588	7.5%
< 1 drink	12,624	11.0%

Frequency Missing = 6737

AMOUNT OF LIQUOR AT ONE TIME		
q23d	Frequency	Percent
Never drink this	75,992	65.3%
12+ drinks	3,838	3.3%
9-11 drinks	1,827	1.6%
5-8 drinks	5,929	5.1%
3-4 drinks	7,489	6.4%
2 drinks	5,803	5.0%
1 drink	5,650	4.9%
< 1 drink	9,783	8.4%

Frequency Missing = 5264

HOW MANY 5+ DRINKS IN PAST 30 DAYS		
q24	Frequency	Percent
Never 5+ at time	46,899	40.2%
None	49,357	42.3%
1 day	7,699	6.6%
2 days	4,128	3.5%
3 to 5 days	4,454	3.8%
6 to 9 days	2,211	1.9%
10 or more days	2,062	1.8%

Frequency Missing = 4766

GET ALCOHOLIC BEVERAGES FROM HOME		
q25a	Frequency	Percent
Do not Drink	61,596	52.8%
Never	29,745	25.5%
Seldom	18,378	15.8%
Most of the Time	5,014	4.3%
Always	1,873	1.6%

Frequency Missing = 4969

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
q25b	Frequency	Percent
Do not Drink	57,273	49.1%
Never	22,236	19.1%
Seldom	18,894	16.2%
Most of the Time	13,814	11.8%
Always	4,498	3.9%

Frequency Missing = 4860

DANGEROUS FOR KIDS TO USE TOBACCO		
q26a	Frequency	Percent
Very	69,308	58.9%
Somewhat	29,574	25.1%
Not very	10,857	9.2%
Not at all	2,446	2.1%
Don't know	5,436	4.6%

Frequency Missing = 3955

GET ALCOHOLIC BEVERAGES FROM A STORE		
q25c	Frequency	Percent
Do not Drink	62,181	53.5%
Never	44,247	38.1%
Seldom	5,125	4.4%
Most of the Time	3,139	2.7%
Always	1,591	1.4%

Frequency Missing = 5292

DANGEROUS FOR KIDS TO USE ALCOHOL		
q26b	Frequency	Percent
Very	65,615	56.1%
Somewhat	30,623	26.2%
Not very	13,054	11.2%
Not at all	2,653	2.3%
Don't know	5,003	4.3%

Frequency Missing = 4628

GET ALCOHOLIC BEVERAGES AT PARTIES		
q25d	Frequency	Percent
Do not Drink	57,469	49.3%
Never	23,026	19.8%
Seldom	11,748	10.1%
Most of the Time	10,974	9.4%
Always	13,259	11.4%

Frequency Missing = 5100

DANGEROUS FOR KIDS TO USE INHALANTS		
q26c	Frequency	Percent
Very	93,146	79.4%
Somewhat	11,351	9.7%
Not very	2,627	2.2%
Not at all	1,178	1.0%
Don't know	8,958	7.6%

Frequency Missing = 4315

GET ALCOHOLIC BEVERAGES FROM OTHER SOURCES		
q25e	Frequency	Percent
Do not Drink	60,416	52.2%
Never	29,054	25.1%
Seldom	13,663	11.8%
Most of the Time	7,156	6.2%
Always	5,342	4.6%

Frequency Missing = 5944

DANGEROUS FOR KIDS TO USE MARIJUANA		
q26d	Frequency	Percent
Very	76,722	65.4%
Somewhat	12,441	10.6%
Not very	9,344	8.0%
Not at all	12,277	10.5%
Don't know	6,603	5.6%

Frequency Missing = 4188

DANGEROUS FOR KIDS TO USE COCAINE		
q26e	Frequency	Percent
Very	103,556	88.3%
Somewhat	5,602	4.8%
Not very	733	0.6%
Not at all	456	0.4%
Don't know	6,997	6.0%

Frequency Missing = 4232

	DANGEROUS FOR KIDS TO USE CRACK	FOR USE
q26f	Frequency	Percent
Very	104,049	88.8%
Somewhat	4,617	3.9%
Not very	414	0.4%
Not at all	384	0.3%
Don't know	7,675	6.6%
Frequency Missing = 4436		

	DANGEROUS FOR KIDS TO USE SYNTHETIC MARIJUANA	FOR USE
q26k	Frequency	Percent
Very	97,625	83.1%
Somewhat	7,510	6.4%
Not very	2,593	2.2%
Not at all	909	0.8%
Don't know	8,857	7.5%
Frequency Missing = 4082		

	DANGEROUS FOR KIDS TO USE ECSTASY	FOR USE
q26g	Frequency	Percent
Very	97,941	83.9%
Somewhat	6,287	5.4%
Not very	1,041	0.9%
Not at all	567	0.5%
Don't know	10,870	9.3%
Frequency Missing = 4870		

	DANGEROUS FOR KIDS TO USE HYDROCODONE	FOR USE
q26l	Frequency	Percent
Very	97,988	83.6%
Somewhat	6,563	5.6%
Not very	2,183	1.9%
Not at all	1,130	1.0%
Don't know	9,278	7.9%
Frequency Missing = 4433		

	DANGEROUS FOR KIDS TO USE STEROIDS	FOR USE
q26h	Frequency	Percent
Very	92,608	79.1%
Somewhat	12,242	10.5%
Not very	2,839	2.4%
Not at all	539	0.5%
Don't know	8,836	7.5%
Frequency Missing = 4511		

	DAYS SKIPPED SINCE SEPTEMBER	PERCENT
q27a	Frequency	Percent
None	92,419	80.3%
1-3 days	17,928	15.6%
4-9 days	2,912	2.5%
10+ days	1,829	1.6%
Frequency Missing = 6487		

	DANGEROUS FOR KIDS TO USE HEROIN	FOR USE
q26i	Frequency	Percent
Very	103,736	88.3%
Somewhat	4,384	3.7%
Not very	493	0.4%
Not at all	345	0.3%
Don't know	8,504	7.2%
Frequency Missing = 4113		

	DAYS ILL SINCE SEPTEMBER	PERCENT
q27b	Frequency	Percent
None	34,762	30.1%
1-3 days	62,089	53.8%
4-9 days	14,610	12.7%
10+ days	3,897	3.4%
Frequency Missing = 6217		

	DANGEROUS FOR KIDS TO USE METHAMPHETAMINE	FOR USE
q26j	Frequency	Percent
Very	104,375	89.0%
Somewhat	3,406	2.9%
Not very	766	0.7%
Not at all	353	0.3%
Don't know	8,417	7.2%
Frequency Missing = 4257		

	OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER	PERCENT
q27c	Frequency	Percent
None	44,951	39.2%
1-3 days	56,861	49.6%
4-9 days	9,166	8.0%
10+ days	3,634	3.2%
Frequency Missing = 6963		

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q27d	Frequency	Percent
None	101,463	87.9%
1-3 days	10,561	9.1%
4-9 days	1,824	1.6%
10+ days	1,600	1.4%
Frequency Missing = 6128		

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q28d	Frequency	Percent
None	110,799	96.3%
1-3 times	3,809	3.3%
4-9 times	288	0.2%
10+ times	136	0.1%
Frequency Missing = 6543		

SOMEONE CALLED HOME SINCE SEPTEMBER		
q27e	Frequency	Percent
None	105,671	91.7%
1-3 days	7,553	6.6%
4-9 days	1,258	1.1%
10+ days	792	0.7%
Frequency Missing = 6302		

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q28e	Frequency	Percent
None	109,414	95.4%
1-3 times	3,509	3.1%
4-9 times	706	0.6%
10+ times	1,044	0.9%
Frequency Missing = 6901		

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q28a	Frequency	Percent
None	108,311	93.7%
1-3 times	6,295	5.4%
4-9 times	776	0.7%
10+ times	187	0.2%
Frequency Missing = 6007		

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q28f	Frequency	Percent
None	110,220	95.6%
1-3 times	4,259	3.7%
4-9 times	314	0.3%
10+ times	443	0.4%
Frequency Missing = 6340		

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q28b	Frequency	Percent
None	108,133	93.9%
1-3 times	5,792	5.0%
4-9 times	584	0.5%
10+ times	680	0.6%
Frequency Missing = 6386		

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q29a	Frequency	Percent
None	107,889	93.8%
1-3 days	4,794	4.2%
4-9 days	1,439	1.3%
10+ days	899	0.8%
Frequency Missing = 6555		

CRITICIZED BY DATE BECAUSE OF DRINKING		
q28c	Frequency	Percent
None	108,564	94.4%
1-3 times	5,539	4.8%
4-9 times	420	0.4%
10+ times	429	0.4%
Frequency Missing = 6624		

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q29b	Frequency	Percent
None	106,686	93.1%
1-3 days	4,809	4.2%
4-9 days	1,330	1.2%
10+ days	1,812	1.6%
Frequency Missing = 6938		

	CLASS DAYS HIGH ON INHALANTS SINCE SEPT	
q29c	Frequency	Percent
None	113,200	98.7%
1-3 days	833	0.7%
4-9 days	412	0.4%
10+ days	224	0.2%
Frequency Missing = 6907		

	WOULD SEEK HELP FROM SCHOOL COUNSELOR	
q32a	Frequency	Percent
No	68,442	61.2%
Yes	43,444	38.8%
Frequency Missing = 9689		

	CLASS DAYS HIGH ON OTHER DRUG(S)	
q29d	Frequency	Percent
None	110,907	97.2%
1-3 days	1,922	1.7%
4-9 days	263	0.2%
10+ days	958	0.8%
Frequency Missing = 7526		

	WOULD SEEK HELP FROM ANOTHER ADULT IN SCHOOL	
q32b	Frequency	Percent
No	63,015	56.1%
Yes	49,404	43.9%
Frequency Missing = 9157		

	ALCOHOL USE AT PARTIES THIS SCHOOL YEAR	
q30a	Frequency	Percent
Never	52,369	45.5%
Seldom	8,327	7.2%
Half the time	4,910	4.3%
Most of the time	9,794	8.5%
Always	15,112	13.1%
Don't know	2,272	2.0%
Didn't attend	22,195	19.3%
Frequency Missing = 6596		

	WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUTSIDE SCHOOL	
q32c	Frequency	Percent
No	63,485	57.3%
Yes	47,240	42.7%
Frequency Missing = 10850		

	DRUG USE AT PARTIES THIS SCHOOL YEAR	
q30b	Frequency	Percent
Never	65,337	56.7%
Seldom	8,121	7.0%
Half the time	5,825	5.1%
Most of the time	4,845	4.2%
Always	5,614	4.9%
Don't know	3,009	2.6%
Didn't attend	22,450	19.5%
Frequency Missing = 6374		

	WOULD SEEK HELP FROM PARENTS	
q32d	Frequency	Percent
No	35,321	31.3%
Yes	77,611	68.7%
Frequency Missing = 8643		

	SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM	
q31	Frequency	Percent
No	99,294	93.5%
Yes	6,939	6.5%
Frequency Missing = 15343		

	WOULD SEEK HELP FROM A MEDICAL DOCTOR	
q32e	Frequency	Percent
No	54,219	48.8%
Yes	56,951	51.2%
Frequency Missing = 10406		

	WOULD SEEK HELP FROM FRIENDS	
q32f	Frequency	Percent
No	43,786	39.2%
Yes	67,835	60.8%
Frequency Missing = 9955		

WOULD SEEK HELP FROM ANOTHER ADULT		
q32g	Frequency	Percent
No	42,411	37.6%
Yes	70,409	62.4%
Frequency Missing = 8756		

DRUG/ALCOHOL INFO-SCHOOL STUDENT GROUP OR CLUB		
q33e	Frequency	Percent
No	91,656	86.4%
Yes	14,376	13.6%
Frequency Missing = 15544		

WOULD NOT SEEK HELP		
q32h	Frequency	Percent
No	94,827	86.1%
Yes	15,352	13.9%
Frequency Missing = 11397		

DRUG/ALCOHOL INFO-INVITED SCHOOL GUEST		
q33f	Frequency	Percent
No	70,869	66.5%
Yes	35,636	33.5%
Frequency Missing = 15071		

DRUG/ALCOHOL INFO-SCHOOL HEALTH CLASS		
q33a	Frequency	Percent
No	71,526	67.1%
Yes	35,119	32.9%
Frequency Missing = 14930		

DRUG/ALCOHOL INFO-ANOTHER SCHOOL SOURCE		
q33g	Frequency	Percent
No	73,335	69.1%
Yes	32,849	30.9%
Frequency Missing = 15392		

DRUG/ALCOHOL INFO-SCHOOL ASSEMBLY PROGRAM		
q33b	Frequency	Percent
No	47,654	44.6%
Yes	59,278	55.4%
Frequency Missing = 14644		

PARENTS FEEL ABOUT KIDS USING TOBACCO		
q34a	Frequency	Percent
Strong disapprove	80,323	70.2%
Mild disapprove	11,560	10.1%
Neither	9,341	8.2%
Mildly approve	1,591	1.4%
Strongly approve	1,183	1.0%
Don't know	10,379	9.1%
Frequency Missing = 7198		

DRUG/ALCOHOL INFO-SCHOOL GUIDANCE COUNSELOR		
q33c	Frequency	Percent
No	75,241	70.7%
Yes	31,212	29.3%
Frequency Missing = 15122		

PARENTS FEEL ABOUT KIDS DRINKING ALCOHOL		
q34b	Frequency	Percent
Strong disapprove	71,651	62.4%
Mild disapprove	14,481	12.6%
Neither	12,616	11.0%
Mildly approve	5,127	4.5%
Strongly approve	992	0.9%
Don't know	9,923	8.6%
Frequency Missing = 6785		

DRUG/ALCOHOL INFO-SCIENCE OR SOCIAL STUDIES CLASS		
q33d	Frequency	Percent
No	76,962	72.2%
Yes	29,582	27.8%
Frequency Missing = 15031		

		PARENTS FEEL ABOUT KIDS USING MARIJUANA	
q34c		Frequency	Percent
Strongly disapprove		89,621	77.9%
Mild disapprove		6,113	5.3%
Neither		6,120	5.3%
Mildly approve		2,217	1.9%
Strongly approve		1,719	1.5%
Don't know		9,234	8.0%
		Frequency Missing = 6552	

			TESTED FOR DRUG USE AT SCHOOL
q35		Frequency	Percent
No		88,596	77.6%
Yes		25,528	22.4%
		Frequency Missing = 7451	

		DRUG TESTING SHOULD BE REQUIRED FOR ALL STUDENT ATHLETES	
q36		Frequency	Percent
Do not know		23,221	20.1%
No		21,538	18.7%
Yes		70,520	61.2%
		Frequency Missing = 6296	